

Contents of Volume 253

American Journal of Physiology

**American Journal of Physiology:
Cell Physiology**


**American Journal of Physiology:
Endocrinology and Metabolism**

**American Journal of Physiology:
Gastrointestinal and Liver Physiology**

**American Journal of Physiology:
Heart and Circulatory Physiology**

**American Journal of Physiology:
Regulatory, Integrative and Comparative Physiology**

**American Journal of Physiology:
Renal, Fluid and Electrolyte Physiology**



American Journal of Physiology: Cell Physiology

No. 1. JULY 1987

| | |
|---|------|
| Time-dependent apical membrane K ⁺ and Na ⁺ selectivity in cultured kidney cells <i>S. R. Thomas and E. Mintz</i> | C1 |
| Effect of <i>N</i> -ethylmaleimide on K transport in density-separated human red blood cells <i>L. R. Berkowitz, D. Walstad, and E. P. Orringer</i> | C7 |
| Complement complex C5b-8 induces PGI ₂ formation in cultured endothelial cells <i>N. Suttorp, W. Seeger, S. Zinsky, and S. Bhakdi</i> | C13 |
| Mechanical work, oxygen consumption, and efficiency in isolated frog and rat muscle <i>N. C. Heglund and G. A. Cavagna</i> | C22 |
| Na-H and Cl-HCO ₃ exchange in rabbit oxyntic cells using fluorescence microscopy <i>A. M. Paradiso, R. Y. Tsien, J. R. Demarest, and T. E. Machen</i> | C30 |
| Heterogeneity of expression of apical membrane determinants in A6 epithelial cells <i>J. B. Moberly and D. D. Fanestil</i> | C37 |
| La ³⁺ , Mn ²⁺ , and Ni ²⁺ effects on Ca ²⁺ pump and on Na ⁺ -Ca ²⁺ exchange in bullfrog ventricle <i>G. Brommundt and F. Kavalier</i> | C45 |
| Potential of contraction in bullfrog ventricle strips by manganese and nickel <i>F. Kavalier and G. Brommundt</i> | C52 |
| Interactions of sodium-proton exchange mechanism in dog red blood cells with <i>N</i> -phenylmaleimide <i>J. C. Parker and P. S. Glosson</i> | C60 |
| Differences in CuZn superoxide dismutase induction in lungs of neonatal and adult rats <i>M. A. Hass and D. Massaro</i> | C66 |
| Disorganization by calcium antagonists of actin microfilament in aortic smooth muscle cells <i>Y. Sasaki, Y. Sasaki, K. Kanno, and H. Hidaka</i> | C71 |
| Diphenylamine-2-carboxylate blocks Cl ⁻ -HCO ₃ ⁻ exchange in <i>Necturus</i> gallbladder epithelium <i>L. Reuss, J. L. Costantin, and J. E. Bazile</i> | C79 |
| Effect of length and cross-bridge attachment on Ca ²⁺ binding to cardiac troponin C <i>P. A. Hofmann and F. Fuchs</i> | C90 |
| Muscarinic cholinergic inhibition of adenylate cyclase in airway smooth muscle <i>C. A. Jones, J. M. Madison, M. Tom-Moy, and J. K. Brown</i> | C97 |
| Prevention of α ₂ -adrenergic inhibition on ADH action by pertussis toxin in rabbit CCT <i>C. P. Ribeiro, F. Ribeiro-Neto, J. B. Field, and W. N. Suki</i> | C105 |
| Angiotensin II stimulates phospholipases C and A ₂ in cultured rat mesangial cells <i>D. Schlondorff, S. DeCandido, and J. A. Satriano</i> | C113 |
| Flow cytometric analysis of intracellular pH in 3T3 cells <i>R. J. Gillies, J. Cook, M. H. Fox, and K. A. Giuliano</i> | C121 |
| Measurement of Na ⁺ -K ⁺ coupling ratio of Na ⁺ -K ⁺ -ATPase in rabbit proximal tubules <i>M. J. Avison, S. R. Gullans, T. Ogino, G. Giebisch, and R. G. Shulman</i> | C126 |
| Altered Ca fluxes and contractile state during pH changes in cultured heart cells <i>D. Kim and T. W. Smith</i> | C137 |
| Angiotensin decreases cyclic GMP accumulation produced by atrial natriuretic factor <i>J. B. Smith and T. M. Lincoln</i> | C147 |
| Rescue of a wild-type MDCK cell by a ouabain-resistant mutant <i>J. J. Bolivar, A. Lázaro, S. Fernández, E. Stefani, V. Peña-Cruz, C. Lechene, and M. Cereijido</i> | C151 |
| Pituitary Ca ²⁺ channels: blockade by conventional and novel Ca ²⁺ antagonists <i>J. J. Enyeart, S.-S. Sheu, and P. M. Hinkle</i> | C162 |

RAPID COMMUNICATIONS

- Intestinal absorptive cell tight junctions are linked to cytoskeleton
J. L. Madara C171
-

ANNOUNCEMENTS

C176

No. 2. AUGUST 1987

INVITED REVIEW

- Characteristics and functions of Na-K-Cl cotransport in epithelial tissues
S. M. O'Grady, H. C. Palfrey, and M. Field C177
-

- Na-H antiport in cultured rat aortic smooth muscle: its role in cytoplasmic pH regulation
P. L. Weissberg, P. J. Little, E. J. Cragoe, Jr., and A. Bobik C193
- Inhibition by amiloride analogues of Na⁺-dependent hexose uptake in LLC-PK₁/Cl₄ cells
J. S. Cook, C. Shaffer, and E. J. Cragoe, Jr. C199
- Actin synthesis rate and mRNA level increase during early recovery of atrophied muscle
P. R. Morrison, G. W. Muller, and F. W. Booth C205
- Mechanical properties of skinned single fibers of identified types from rat diaphragm
T. J. Eddinger and R. L. Moss C210
- Mitogen stimulation of Na⁺-H⁺ exchange: differential involvement of protein kinase C
L. L. Muldoon, G. A. Jamieson, Jr., A. C. Kao, H. C. Palfrey, and M. L. Villereal C219
- High NaCl induces stable changes in phenotype and karyotype of renal cells in culture
S. Uchida, N. Green, H. Coon, T. Triche, S. Mims, and M. Burg C230
- Photolabeling of a 150-kDa (Na+K+Cl) cotransport protein from dog kidney with a bumetide analogue
M. Haas and B. Forbush III C243
- [Na]_i modulates isoproterenol's effect on Ca permeability in cultured heart cells
D. Kim and T. W. Smith C253
- Hyperoxia, mitochondrial redox state, and lactate metabolism of in situ canine muscle
B. R. Wolfe, T. E. Graham, and J. K. Barclay C263
- Coupling of aerobic glycolysis and Na⁺-K⁺-ATPase in renal cell line MDCK
R. M. Lynch and R. S. Balaban C269
- Effects of 12-HETE on renal tubular epithelial cells
J. A. Gordon and A. A. Spector C277
- Band 3 tyrosine kinase in avian erythrocyte plasma membrane is immunologically related to pp60^{c-src}
D. Hillsgrrove, C. G. Shores, J. C. Parker, and P. F. Maness C286
- Changes in intracellular ionized Ca concentration associated with muscle fiber type transformation
F. A. Sreter, J. R. Lopez, L. Alamo, K. Mabuchi, and J. Gergely C296
- Distinction between mechanisms underlying α₁- and β-adrenergic respiratory stimulation in brown fat cells
N. Mohell, E. Connolly, and J. Nedergaard C301
- Measurement of intracellular Ca²⁺ activity in *Necturus* gallbladder
C. E. Palant and I. Kurtz C309
- Energy metabolism in contracting rat skeletal muscle: adaptation to exercise training
S. H. Constable, R. J. Favier, J. A. McLane, R. D. Fell, M. Chen, and J. O. Holloszy C316
- Three distinct cell populations in rat kidney collecting duct
H. Holthöfer, B. A. Schulte, G. Pasternack, G. J. Siegel, and S. S. Spicer C323
- Gap junctions and synchronization of polarization process during epithelial reorganization
C. A. Rabito, J. A. Jarrell, and J. A. Scott C329

SPECIAL COMMUNICATIONS

- Free calcium in isolated chick embryo heart cells measured using quin2 and fura-2
R. Jacob, E. Murphy, and M. Lieberman C337
- Cl⁻-selective microelectrodes: sensitivity to anionic Cl⁻ transport inhibitors
A. C. Chao and W. McD. Armstrong C343

ANNOUNCEMENTS

C348

No. 3. SEPTEMBER 1987**SPECIAL REPORT**

- Isolated muscle cells as a physiological model
M. Lieberman, S. D. Hauschka, Z. W. Hall, B. R. Eisenberg, R. Horn, J. V. Walsh, R. W. Tsien, A. W. Jones, J. L. Walker, M. Poenie, F. Fay, F. Fabiato, and C. C. Ashley C349
-
- Ryanodine modifies conductance and gating behavior of single Ca²⁺ release channel
E. Rousseau, J. S. Smith, and G. Meissner C364
- β -Adrenergic relaxation of smooth muscle: differences between cells and tissues
C. R. Scheid C369
- Dependence of tonic tension on extracellular calcium in rat extraocular muscle
D. J. Chiarandini and J. Jacoby C375
- Endotoxin alters arachidonate metabolism in pulmonary endothelial cells
N. Suttorp, C. Galanos, and H. Neuhof C384
- Dependence of L-arginine accumulation on membrane potential in cultured human fibroblasts
O. Bussolati, P. C. Laris, F. A. Nucci, V. Dall'Asta, N. Longo, G. G. Guidotti, and G. C. Gazzola C391
- Effects of rest duration and ryanodine on changes of extracellular [Ca] in cardiac muscle from rabbits
K. T. MacLeod and D. M. Bers C398
- Ryanodine and the calcium content of cardiac SR assessed by caffeine and rapid cooling contractures
D. M. Bers C408
- Sulfate transport in apical membrane vesicles isolated from tracheal epithelium
A. Elgavish, D. R. DiBona, P. Norton, and E. Meezan C416
- ATP depletion in slow-twitch red muscle of rat
D. M. Whitlock and R. L. Terjung C426
- A distal nephron glycoprotein that has different cell surface distributions on MDCK cell sublines
G. K. Ojakian, R. E. Romain, and R. E. Herz C433
- Reversible MM-creatine kinase binding to cardiac myofibrils
R. Ventura-Clapier, V. A. Saks, G. Vassort, C. Lauer, and G. V. Elizarova C444
- Myofibrillar M-band structure and composition of physiologically defined rat motor units
L.-E. Thornell, E. Carlsson, E. Kugelberg, and B. K. Grove C456
- Dependence on multivalent cations of quantal release of transmitter induced by black widow spider venom
S. Miesler and L. C. Falke C469
- Detection of an oxidizable fraction of cytochrome oxidase in intact rat brain
J. C. LaManna, T. J. Sick, S. M. Pikarsky, and M. Rosenthal C477
- Stiffness of active smooth muscle during forced elongation
R. A. Meiss C484

No. 4. OCTOBER 1987

| | |
|---|------|
| Gentamicin enhanced production of hydrogen peroxide by renal cortical mitochondria <i>P. D. Walker and S. V. Shah</i> | C495 |
| Structural and functional relationship of red blood cell protein 4.1 to synapsin I <i>K. E. Krebs, S. M. Prouty, I. S. Zagon, and S. R. Goodman</i> | C500 |
| Regulation of ribosome synthesis during compensatory renal hypertrophy in mice <i>A. J. Ouellette, R. Moonka, A. D. Zelenetz, and R. A. Malt</i> | C506 |
| Newly synthesized protein secretion in rat lacrimal gland: post-second messenger synergism <i>P. Mauduit, G. Herman, and B. Rossignol</i> | C514 |
| Δ Alkalinity: a simple method to measure cellular net acid-base fluxes <i>Z.-H. Burbea, S. R. Gullans, and S. Ben-Yaakov</i> | C525 |
| Distribution of meprin in kidneys from mice with high- and low-meprin activity <i>S. S. Craig, J. F. Reckelhoff, and J. S. Bond</i> | C535 |
| Evidence for a force-dependent component of calcium binding to cardiac troponin C <i>P. A. Hofmann and F. Fuchs</i> | C541 |
| Effects of pH changes on sodium pump fluxes in squid giant axon <i>G. E. Breitwieser, A. A. Altamirano, and J. M. Russell</i> | C547 |
| Cl^- secretagogues increase basolateral K^+ conductance of frog corneal epithelium <i>J. M. Wolsin and O. A. Candia</i> | C555 |
| Histamine-induced calcium release and phorbol antagonism in cultured airway smooth muscle cells <i>M. I. Kotlikoff, R. K. Murray, and E. E. Reynolds</i> | C561 |
| Platelet-derived growth factor stimulated mechanisms of glucosamine incorporation <i>M. A. Harrington and W. J. Pledger</i> | C567 |
| Control of late G_0/G_1 progression and protein modification by SmC/IGF I <i>N. E. Olshaw, J. J. Van Wyk, and W. J. Pledger</i> | C575 |
| Diamide stimulates calcium-sodium exchange in dog red blood cells <i>J. C. Parker</i> | C580 |
| Effects of bradykinin and angiotensin II on intracellular Ca^{2+} dynamics in endothelial cells <i>R. Morgan-Boyd, J. M. Stewart, R. J. Vavrek, and A. Hassid</i> | C588 |
| Mechanics of tonus fibers of frog muscle <i>E. Bozler</i> | C599 |

RAPID COMMUNICATIONS

| | |
|--|------|
| Block of intercellular communication: interaction of intracellular H^+ and Ca^{2+} <i>J. M. Burt</i> | C607 |
| Photobleaching of fura-2 and its effect on determination of calcium concentrations <i>P. L. Becker and F. S. Fay</i> | C613 |
| Changes in Na^+/H^+ exchange regulation upon granulocytic differentiation of HL60 cells <i>D. Restrepo, D. J. Kozody, and P. A. Knauf</i> | C619 |

No. 5. NOVEMBER 1987

| | |
|--|------|
| Adhesion and differentiation of cultured rat granulosa cells: role of fibronectin <i>P. Morley, D. T. Armstrong, and R. E. Gore-Langton</i> | C625 |
| Renal epithelial cell growth can occur in absence of Na^+/H^+ exchanger activity <i>M. Mohrmann, H. F. Cantiello, and D. A. Ausiello</i> | C633 |
| Induction of an increase in mitochondrial matrix enzymes in muscle of iron-deficient rats <i>Y. Ohira, L.-J. Cartier, M. Chen, and J. O. Holloszy</i> | C639 |
| Cardiac myocyte guanosine transport and metabolism <i>T. P. Geisbuhler, D. A. Johnson, and M. J. Rovetto</i> | C645 |
| Interactions of NIP-taurine, NAP-taurine, and Cl^- with the human erythrocyte anion exchange system <i>P. A. Knauf, N. A. Mann, J. E. Kalwas, L. J. Spinelli, and M. Ramjeesingh</i> | C652 |

| | |
|---|------|
| Protamine alters apical membrane K^+ and Cl^- permeability in gallbladder epithelium <i>S. M. Poler and L. Reuss</i> | C662 |
| Effect of plasma membrane fluidity on serotonin transport by endothelial cells <i>E. R. Block and D. Edwards</i> | C672 |
| Effect of secretagogues on cytoplasmic free calcium in alveolar type II epithelial cells <i>K. Sano, D. R. Voelker, and R. J. Mason</i> | C679 |
| Regulation of ovarian ornithine decarboxylase by human chorionic gonadotrophin <i>G. J. Sertich, L. Persson, and A. E. Pegg</i> | C687 |
| SITS-sensitive Cl^- conductance pathway in chick intestinal cells <i>M. Montrose, J. Randles, and G. A. Kimmich</i> | C693 |
| Biochemical and structural changes in cultured heart cells induced by metabolic inhibition <i>E. Murphy, A. LeFurgey, and M. Lieberman</i> | C700 |
| Vasopressin-induced changes in the three-dimensional structure of toad bladder apical surface <i>J. H. Hartwig, D. A. Ausiello, and D. Brown</i> | C707 |
| (Na + K + 2Cl) cotransport in cultured embryonic chick heart cells <i>S. Liu, R. Jacob, D. Pionica-Worms, and M. Lieberman</i> | C721 |
| Na-K pump site density and ouabain binding affinity in cultured chick heart cells <i>L. A. Lobaugh and M. Lieberman</i> | C731 |

SPECIAL COMMUNICATIONS

| | |
|---|------|
| Fura-2 fluorescence is localized to mitochondria in endothelial cells <i>S. F. Steinberg, J. P. Bilezikian, and Q. Al-Auqati</i> | C744 |
|---|------|

No. 6. DECEMBER 1987

INVITED REVIEW

| | |
|---|------|
| Structure, biochemistry, and assembly of epithelial tight junctions <i>B. Gumbiner</i> | C749 |
| Culture of type II pneumocytes on a type II cell-derived fibronectin-rich matrix <i>S. R. Rannels, C. S. Fisher, L. J. Heuser, and D. E. Rannels</i> | C759 |
| Interleukin 1 and tumor necrosis factor do not regulate protein balance in skeletal muscle <i>L. L. Moldawer, G. Svaninger, J. Gelin, and K. G. Lundholm</i> | C766 |
| [3H]protein secretion in rat parotid gland: substance P- β -adrenergic synergism <i>C. Dreux, V. Imhoff, and B. Rossignol</i> | C774 |
| Fluorescence detection of mitochondrial clusters in mammalian white fat cells in vivo <i>F. D. DeMartinis, K. T. Ashkin, and K. T. Lampe</i> | C783 |
| Uptake and degradation of natural surfactant by isolated rat granular pneumocytes <i>A. B. Fisher, A. Chander, and J. Reicherter</i> | C792 |
| Effects of low calcium levels on erythropoietin production by human renal carcinoma cells in culture <i>K. Nagakura, M. Ueno, J. Brookins, B. S. Beckman, and J. W. Fisher</i> | C797 |
| Regulation of chloride secretion in dog tracheal epithelium by protein kinase C <i>R. A. Barthelson, D. B. Jacoby, and J. H. Widdicombe</i> | C802 |
| Regulation of the atrial natriuretic peptide receptor on a smooth muscle cell <i>R. J. Hughes, R. S. Struthers, A. M. Fong, and P. A. Insel</i> | C809 |
| Measurement of cytoplasmic free Ca^{2+} concentration in bovine tracheal smooth muscle using aequorin <i>Y. Takuwa, N. Takuwa, and H. Rasmussen</i> | C817 |
| Effect of phorbol ester and calcium ionophore on chloride secretion in canine tracheal epithelium <i>M. J. Welsh</i> | C828 |
| Role of laminin in maintenance of type II pneumocyte morphology and function <i>S. R. Rannels, J. A. Yarnell, C. S. Fisher, J. P. Fabisiak, and D. E. Rannels</i> | C835 |

| | |
|---|------|
| Biochemical and subcellular distribution of arachidonic acid in rat myocardium Y. Miyazaki, R. W. Gross, B. E. Sobel, and J. E. Saffitz | C846 |
| Alteration of intestinal tight junction structure and permeability by cytoskeletal contraction J. L. Madara, R. Moore, and S. Carlson | C854 |
| Isozymes of dog heart Na ⁺ -K ⁺ -ATPase are immunologically similar to isozymes in brain A. A. McDonough and C. A. Schmitt | C862 |
| Effects of inhibition of mitochondrial protein synthesis in skeletal muscle R. S. Williams and W. Harlan | C866 |
| Interaction of angiotensin II with functional smooth muscle cells in culture S. Paglin, H. Stukenbrok, N. C. Joyce, and J. D. Jamieson | C872 |
| Volume-sensitive Cl-dependent K transport in human erythrocytes W. C. O'Neill | C883 |
| Noradrenergic stimulation of mitochondriogenesis in brown adipocytes differentiating in culture M. N  chad, J. Nedergaard, and B. Cannon | C889 |
| <hr/> | |
| Subject Index to Volume 22 | C895 |
| Author Index to Volume 22 | C903 |

CORRIGENDA

Volume 252, May 1987

Volume 21, May 1987

Page C483: T. L. Trosper and K. D. Philipson. "Lactate transport by cardiac sarcolemmal vesicles." Page C483: the first sentence of paragraph 2 should read: Recent reports of lactate uptake by isolated cardiac myocytes (14) and perfused hearts (2, 16) presented evidence suggesting that lactate traversal of the cardiac sarcolemma is mediated by a carrier specific for monocarboxylic acids. Page C485: Fig. 1 legend should read: L-Lactate uptake into sarcolemmal vesicles as a function of time at room temperature. 1 mM L-lactate in external medium; vesicles loaded with 280 mM sucrose, pH 7.4. External media: 112 mM NaCl, 56 mM sucrose, pH 7.4, with (*closed circles*) or without (*open circles*) 5 μ M monensin; or 280 mM sucrose, pH 7.4 (\times) or 5.9 (*open squares*). Data points on upper curves are means \pm SD of 3 or more experiments. Lower curves are averages of 2 experiments. *Inset*: L-lactate uptake at short times from NaCl plus monensin, pH 7.4. Page C485: last line of Fig. 3 legend should read: Slope, which is least-squares fit of the data, gives apparent K_m for L-lactate of 27 mM. Page C489: References 2, 14, and 16 should read:

2. DENNIS, S. C., M. C. COHN, G. J. ANDERSON, AND D. GARFINKEL. Kinetic analysis of monocarboxylate uptake into perfused rat hearts. *J. Mol. Cell. Cardiol.* 17: 987-995, 1985.
14. KAMMERMEIER, H., B. WEIN, AND W. GRAF. Characteristics of lactate transport in isolated cardiac myocytes. *Basic Res. Cardiol.* 80, Suppl. 1: 57-60, 1985.
16. MANN, G. E., B. V. ZLOKOVIC, AND D. L. YUDILEVICH. Evidence for a lactate transport system in the sarcolemmal membrane of the perfused rabbit heart. *Biochim. Biophys. Acta* 819: 241-246, 1985.

American Journal of Physiology: Endocrinology and Metabolism

No. 1. JULY 1987

EDITORIAL REVIEW

| | |
|--|------|
| Lipid transport function of lipoproteins in blood plasma <i>R. J. Havel</i> | E1 |
| Static mechanical properties of lungs from adrenalectomized pneumonectomized rats <i>R. A. Bennett, J. L. Addison, and D. E. Rannels</i> | E6 |
| Kinetics of glucose transport in rat muscle: effects of insulin and contractions <i>T. Ploug, H. Galbo, J. Vinten, M. Jørgensen, and E. A. Richter</i> | E12 |
| Stimulation of proteoglycans by IGF I and II in microvessel and large vessel endothelial cells <i>R. S. Bar, B. L. Dake, and S. Stueck</i> | E21 |
| Pertussis toxin inhibits somatostatin-induced K ⁺ conductance in human pituitary tumor cells <i>N. Yamashita, I. Kojima, N. Shibuya, and E. Ogata</i> | E28 |
| Increased uptake and phosphorylation of 2-deoxyglucose by skeletal muscles in endotoxin-treated rats <i>K. Mészáros, G. J. Bagby, C. H. Lang, and J. J. Spitzer</i> | E33 |
| Effects of fasting on serum lactogenic hormone concentrations during mid- and late pregnancy in mice <i>P. J. Fielder, L. Ogren, D. Edwards, and F. Talamantes</i> | E40 |
| Parathyroid hormone acutely elevates intracellular calcium in osteoblastlike cells <i>I. R. Reid, R. Civitelli, L. R. Halstead, L. V. Avioli, and K. A. Hruska</i> | E45 |
| Decreased myofibrillar proteolysis after refeeding requires dietary protein or amino acids <i>M. N. Goodman and M. Del Pilar Gomez</i> | E52 |
| Triacylglycerol kinetics in endotoxic rats with suppressed lipoprotein lipase activity <i>G. J. Bagby, C. B. Corll, and R. R. Martinez</i> | E59 |
| β -Adrenergic blockade and intravenous nutrient-induced thermogenesis in lean and obese women <i>O. Vernet, C.-A. Nacht, L. Christin, Y. Schutz, E. Danforth, Jr., and E. Jequier</i> | E65 |
| A potential mechanism of DL- β -hydroxybutyrate-induced malformations in mouse embryos <i>E. S. Hunter III, T. W. Sadler, and R. E. Wynn</i> | E72 |
| A translational inhibitor from muscles of diabetic rats: identification as histone H1 <i>N. E. O'Leary, W. B. Mehard, I. R. Cheema, K. Moore, and M. G. Buse</i> | E81 |
| H ⁺ stimulation of cell-mediated bone resorption in tissue culture <i>P. Goldhaber and L. Rabadjija</i> | E90 |
| 1,25-Dihydroxyvitamin D ₃ target cells in immature pancreatic islets <i>S. A. Clark, W. E. Stumpf, M. Sar, and H. F. DeLuca</i> | E99 |
| Effect of magnesium depletion on metabolism of 25-hydroxyvitamin D in rats <i>T. O. Carpenter, D. L. Carnes, Jr., and C. S. Anast</i> | E106 |

MODELING METHODOLOGY FORUM

| | |
|---|------|
| Spare receptors, partial agonists, and ternary complex model of drug action <i>L. D. Homer and T. B. Nielsen</i> | E114 |
|---|------|

ANNOUNCEMENTS

E122

No. 2. AUGUST 1987

| | |
|--|------|
| Altered glucose kinetics in diabetic rats during Gram-negative infection <i>C. H. Lang, C. Dobrescu, G. J. Bagby, and J. J. Spitzer</i> | E123 |
| IP ₃ -dependent Ca ²⁺ release in permeabilized hepatocytes of endotoxemic and septic rats <i>J. A. Spitzer and I. V. Deaciuc</i> | E130 |
| Energy expenditure after infusion of glucose-based total parenteral nutrition <i>K. M. Gil, J. Askanazi, D. H. Elwyn, F. E. Gump, and J. M. Kinney</i> | E135 |
| Insulin resistance during suckling period in rats <i>T. Issad, C. Coupe, P. Ferre, and J. Girard</i> | E142 |
| Brown adipose tissue metabolism in <i>ob/ob</i> mice: effects of a high-fat diet and adrenalectomy <i>H.-K. Kim and D. R. Romsos</i> | E149 |
| Comparison of glucose and glucose plus lipid as caloric sources in parenterally fed rats <i>S. Lanza-Jacoby, A. Tabares, H. S. Sitren, and E. Kosar</i> | E158 |
| Thyroid autoregulation: impact on thyroid structure and function in rats <i>C. Penel, J. B. Rognoni, and P. Bastiani</i> | E165 |
| Sample site selection for tracer studies applying a unidirectional circulatory approach <i>D. K. Layman and R. R. Wolfe</i> | E173 |
| Cold exposure potentiates the effect of insulin on in vivo glucose uptake <i>A. L. Vallerand, F. Pérusse, and L. J. Bukowiecki</i> | E179 |
| Evaluation of a parathyroid hormone antagonist in an in vivo multiparameter bioassay <i>N. Horiuchi and M. Rosenblatt</i> | E187 |
| Fasting-mediated alteration studies in insulin action on lipolysis and lipogenesis in obese women <i>P. Arner and P. Engfeldt</i> | E193 |
| Sarcolemmal Ca ²⁺ transport in streptozotocin-induced diabetic cardiomyopathy in rats <i>N. Makino, K. S. Dhalla, V. Elimban, and N. S. Dhalla</i> | E202 |
| Hyperglucagonemia during insulin deficiency accelerates protein catabolism <i>K. S. Nair, D. Halliday, D. E. Matthews, and S. L. Welle</i> | E208 |
| Heat production during contraction in skeletal muscle of hypothyroid mice <i>W. J. Leijendekker, C. van Hardeveld, and G. Elzinga</i> | E214 |

RAPID COMMUNICATIONS

| | |
|--|------|
| A dual mechanism for regulation of kidney phosphate transport by parathyroid hormone <i>J. A. Cole, S. L. Eber, R. E. Poelling, P. K. Thorne, and L. R. Forte</i> | E221 |
| A microdialysis method allowing characterization of intercellular water space in humans <i>P. Lönnroth, P.-A. Jansson, and U. Smith</i> | E228 |

No. 3. SEPTEMBER 1987

| | |
|--|------|
| Ionophore A23187 partially reverses LH secretory defect of pituitary cells from old rats <i>R. S. Chuknyiska, M. R. Blackman, and G. S. Roth</i> | E233 |
| Nervous control of glycogenolysis and blood flow in arterially and portally perfused liver <i>A. Gardemann, H. Strulik, and K. Jungermann</i> | E238 |
| A primed-infusion technique for rapid estimation of the metabolic clearance rate of 1,25(OH) ₂ D ₃ <i>R. Eastell, B. L. Riggs, and R. Kumar</i> | E246 |
| Long-latency growth-promoting activity of EGF when administered to mice at the neonatal stage <i>O. Imada, N. Hayashi, K. Masamoto, S. Kasuga, T. Fuwa, and S. Nakagawa</i> | E251 |
| Optimal response of key enzymes and uncoupling protein to cold in BAT depends on local T ₃ generation <i>A. C. Bianco and J. E. Silva</i> | E255 |
| Diet-induced thermogenesis in cafeteria-fed rats: a myth? <i>G. M. Maxwell, S. Nobbs, and D. J. Bates</i> | E264 |

| | |
|--|------|
| Pathophysiology of type A hypoxic lactic acidosis in dogs <i>A. I. Arieff and H. Graf</i> | E271 |
| Age-associated alterations in hepatic β -adrenergic receptor/adenylate cyclase complex <i>S. M. Graham, P. A. Herring, and I. J. Arinze</i> | E277 |
| Plasma catecholamine and serum cortisol responses to experimental cardiac arrest in dogs <i>P. J. Foley, W. A. Tacker, J. Wortsman, S. Frank, and P. E. Cryer</i> | E283 |
| Evidence for cAMP as a mediator of gonadotropin secretion from female pituitaries <i>G. A. Bourne and D. M. Baldwin</i> | E290 |
| Evidence for cAMP as a mediator of gonadotropin secretion from male pituitaries <i>G. A. Bourne and D. M. Baldwin</i> | E296 |
| Dissociation of in vitro sensitivities of glucose transport and antilipolysis to insulin in NIDDM <i>H. Yki-Järvinen, K. Kubo, J. Zawadzki, S. Lillioja, A. Young, W. Abbott, and J. E. Foley</i> | E300 |
| Muscle glycogen repletion during active postexercise recovery <i>E. M. Peters Futre, T. D. Noakes, R. I. Raine, and S. E. Terblanche</i> | E305 |
| Distribution of free and sulfate-conjugated catecholamines in human platelets <i>R. K. McCulloch, R. Vandongen, A. M. Tunney, L. J. Beilin, and P. B. Rogers</i> | E312 |
| Differences between in vitro and in vivo degradation of LHRH by rat brain and other organs <i>F. A. Carone, M. A. Stetler-Stevenson, V. May, A. LaBarbera, and G. Flouret</i> | E317 |
| Physiological increments in epinephrine stimulate metabolic rate in humans <i>M. A. Staten, D. E. Matthews, P. E. Cryer, and D. M. Bier</i> | E322 |

No. 4. OCTOBER 1987

| | |
|---|------|
| Reversal of the exercise-induced increase in muscle permeability to glucose <i>D. A. Young, H. Wallberg-Henriksson, M. D. Sleeper, and J. O. Holloszy</i> | E331 |
| Effects of food restriction on lactate production from glucose by rat adipocytes <i>S. V. Thacker, M. Nickel, and M. DiGirolamo</i> | E336 |
| Control of compensatory lung growth by adrenal hormones <i>D. E. Rannels, H. W. Karl, and R. A. Bennett</i> | E343 |
| Dynamic peripheral nerve metabolic and vascular responses to exsanguination <i>M. Takeuchi and P. A. Low</i> | E349 |
| Neuroanatomic localization of the inhibitory effect of TRH on growth hormone secretion <i>K. Ishikawa, H. Katakami, and L. A. Frohman</i> | E354 |
| Patterns of glycogen turnover in liver characterized by computer modeling <i>J. H. Youn and R. N. Bergman</i> | E360 |
| Clenbuterol-induced muscle growth: investigation of possible mediation by insulin <i>M. A. McElligott, J. E. Mulder, L.-Y. Chaung, and A. Barreto, Jr.</i> | E370 |
| Hyperglycemia stimulates carbohydrate oxidation in humans <i>H. Yki-Järvinen, C. Bogardus, and B. V. Howard</i> | E376 |
| Acute adaptation in adrenergic control of lipolysis during physical exercise in humans <i>H. Wahrenberg, P. Engfeldt, J. Bolinder, and P. Arner</i> | E383 |
| Absence of detectable phosphocreatine in rat luteal cells <i>J. C. Cross, L. K. Soodak, B. Musicki, and H. R. Behrman</i> | E391 |
| Altered contractile proteins in skeletal muscle of diabetic rats <i>P. K. Ganguly, Y. Taira, V. Elimban, M. Roy, and N. S. Dhalla</i> | E395 |
| Maternal-fetal communication of circadian phase in a precocious rodent, the spiny mouse <i>D. R. Weaver and S. M. Reppert</i> | E401 |
| Myometrial desensitization after ritodrine infusion <i>S. N. Caritis, J. P. Chiao, J. J. Moore, and S. M. Ward</i> | E410 |
| Effect of superfused insulin on cerebral cortical glucose utilization in awake goats <i>D. A. Pelligrino, D. J. Miletich, and R. F. Albrecht</i> | E418 |

| | |
|---|------|
| Effects of leucine, isoleucine, or threonine infusion on leucine metabolism in humans <i>W. F. Schwenk and M. W. Haymond</i> | E428 |
| Effect of somatostatin on glucose homeostasis in conscious long-fasted dogs <i>R. W. Stevenson, K. E. Steiner, G. K. Hendrick, and A. D. Cherrington</i> | E435 |
| Effect of somatostatin on nonesterified fatty acid levels modifies glucose homeostasis during fasting <i>G. K. Hendrick, R. T. Frizzell, and A. D. Cherrington</i> | E443 |
| Metabolites of 2-deoxyglucose in rat brain at 12-24 h: bounds on kinetic constants <i>L. Bass, W. Bodsch, P. J. Robinson, and M. O. Young</i> | E453 |
| Increased glucose dependence in resting, iron-deficient rats <i>G. A. Brooks, S. A. Henderson, and P. R. Dallman</i> | E461 |
| Type I receptors in parotid, colon, and pituitary are aldosterone selective in vivo <i>K. Sheppard and J. W. Funder</i> | E467 |

LETTERS TO THE EDITOR

| | |
|---|------|
| Measuring lactate production <i>W. C. Stanley and G. A. Brooks</i> | E472 |
|---|------|

ANNOUNCEMENTS

No. 5. NOVEMBER 1987

| | |
|---|------|
| Restricted passage of insulin across capillary endothelium in perfused rat adipose tissue <i>S. S. Chernick, R. J. Gardiner, and R. O. Scow</i> | E475 |
| Thermic effect of food: possible implication of parasympathetic nervous system <i>C. A. Nacht, L. Christin, E. Temler, R. Chioléro, E. Jéquier, and K. J. Acheson</i> | E481 |
| Improved insulin action in muscle, liver, and adipose tissue in physically trained human subjects <i>K. J. Rodnick, W. L. Haskell, A. L. M. Swislocki, J. E. Foley, and G. M. Reaven</i> | E489 |
| Study of ketone body kinetics in children by a combined perfusion of ^{13}C and ^3H tracers <i>P.-F. Bougnères and P. Ferre</i> | E496 |
| Blood Ca^{2+} modulates responsiveness of renal $25(\text{OH})\text{D}_3$ - 1α -hydroxylase to PTH in rats <i>T. Matsumoto, K. Ikeda, K. Morita, S. Fukumoto, H. Takahashi, and E. Ogata</i> | E503 |
| Periodic interactions of GH-releasing factor and somatostatin can augment GH release in vitro <i>J. Weiss, M. J. Cronin, and M. O. Thorner</i> | E508 |
| Sympathetic activity in brown adipose tissue in lactating mice <i>P. Trayhurn and M. C. Wusteman</i> | E515 |
| Hormonal control of postprandial thermogenesis in dogs <i>P. Diamond and J. LeBlanc</i> | E521 |
| Regulation of mitochondrial adenine nucleotide content in newborn rabbit liver <i>P. C. Tullson and J. R. Aprille</i> | E530 |
| Rat hepatic mRNA-S14 and lipogenic enzymes during weaning: role of S14 in lipogenesis <i>A. Perez-Castillo, H. L. Schwartz, and J. H. Oppenheimer</i> | E536 |
| Regulation of urea production by glucose infusion in vivo <i>F. Jahoor and R. R. Wolfe</i> | E543 |
| Models to interpret kinetic data in stable isotope tracer studies <i>C. Cobelli, G. Toffolo, D. M. Bier, and R. Nosadini</i> | E551 |
| Endogenous opioids may mediate secondary damage after experimental brain injury <i>T. K. McIntosh, R. L. Hayes, D. S. DeWitt, V. Agura, and A. I. Faden</i> | E565 |
| Regional amino acid transport into brain during diabetes: effect of plasma amino acids <i>A. M. Mans, M. R. DeJoseph, D. W. Davis, and R. A. Hawkins</i> | E575 |

MODELING METHODOLOGY FORUM

| | |
|--|------|
| Reconstructing the rate of appearance of subcutaneous insulin by deconvolution <i>C. Cobelli, A. Mari, S. Del Prato, S. De Kreutzenberg, R. Nosadini, and I. Jensen</i> | E584 |
|--|------|

RAPID COMMUNICATIONS

- GRF elevates cytosolic free calcium concentration in rat anterior pituitary cells
C. Schöfl, J. Sandow, and W. Knepel E591

No. 6. DECEMBER 1987

- Modified protocols improve insulin sensitivity estimation using the minimal model
Y. J. Yang, J. H. Youn, and R. N. Bergman E595
- Effect of intestinal factors on extraction of insulin in perfused rat liver
T. Ikeda, T. Yoshida, M. Honda, Y. Ito, I. Murakami, O. Mokuda, M. Tominaga, and H. Mashiba E603
- Leucine metabolism in human newborns
S. C. Denne and S. C. Kalhan E608
- Hyperglycemia and hyperinsulinemia increase glucose utilization in fetal rat tissues
A. Leturque, J.-P. Revelli, S. Hauguel, J. Kande, and J. Girard E616
- Cellular and subcellular distribution of exogenously administered renal renin in rat liver and kidney
S. Kim, H. Iwao, N. Nakamura, F. Ikemoto, K. Yamamoto, V. Mizuhira, and J. Yokofujita E621
- Modulation of receptors and adenylate cyclase activity during sucrose feeding, food deprivation, and cold exposure
P. J. Scarpace, L. A. Baresi, and J. E. Morley E629
- Leucine metabolism in perfused rat skeletal muscle during contractions
D. A. Hood and R. L. Terjung E636
- Effect of endurance training on leucine metabolism in perfused rat skeletal muscle
D. A. Hood and R. L. Terjung E648
- Alterations in glucose kinetics induced by pentobarbital anesthesia
C. H. Lang, G. J. Bagby, D. M. Hargrove, P. M. Hyde, and J. J. Spitzer E657
- Effect of carbohydrate intake on de novo lipogenesis in human adipose tissue
C. Chascione, D. H. Elwyn, M. Davila, K. M. Gil, J. Askanazi, and J. M. Kinney E664
- Carbonic anhydrase activity of chick osteoclasts is increased by parathyroid hormone
S. F. Silverton, S. J. Dodgson, M. D. Fallon, and R. E. Forster II E670
- Involvement of vitamin D₃ with cardiovascular function. II. Direct and indirect effects
R. E. Weishaar and R. U. Simpson E675
- Glucagon infusion increases rate of purine synthesis de novo in rat liver
M. Itakura, N. Maeda, M. Tsuchiya, and K. Yamashita E684

MODELING METHODOLOGY FORUM

- Effect of sampling site on early kinetics of blood radioiodide and pertechnetate
M. T. Hays, L. J. Carr, and J. M. Turrel E691

RAPID COMMUNICATIONS

- Definition of a prenatal sensitive period for maternal-fetal communication of day length
D. R. Weaver, J. T. Keohan, and S. M. Reppert E701

-
- Subject Index to Volume 16* E705
Author Index to Volume 16 E711

CORRIGENDA

Volume 250, June 1986

Volume 13, June 1986

Page E622: E. Cersosimo, P. E. Williams, P. M. Radosevich, B. T. Hoxworth, W. W. Lacy, and N. N. Abumrad. "Role of glutamine in adaptations in nitrogen metabolism during fasting." *Page E626:* Fig. 3, top panel, label should read Arterial Ammonia (mg/dl).

American Journal of Physiology: Gastrointestinal and Liver Physiology

No. 1. JULY 1987

| | |
|--|-----|
| Relationship between ornithine decarboxylase activity and gastric damage <i>C. H. R. Thirumalai, C.-C. Tseng, K. Tabata, L. R. Fitzpatrick, and L. R. Johnson</i> | G1 |
| Prejunctional inhibition of vasoactive intestinal peptide release <i>J. R. Grider and G. M. Makhoul</i> | G7 |
| Corelease of PHI and VIP by vagal stimulation in the dog <i>A. Yasui, S. Naruse, C. Yanaihara, T. Ozaki, M. Hoshino, T. Mochizuki, E. E. Daniel, and N. Yanaihara</i> | G13 |
| Intestinal capillary filtration in experimental diabetes mellitus <i>R. J. Korthuis, V. H. Pitts, and D. N. Granger</i> | G20 |
| Intestinal hyperemia in experimental diabetes mellitus <i>R. J. Korthuis, J. N. Benoit, P. R. Kvietys, M. H. Laughlin, A. E. Taylor, and D. N. Granger</i> | G26 |
| Degradation of endogenous heptadecapeptide gastrin by endopeptidase 24.11 in the pig <i>D. M. Power, N. Bunnett, A. J. Turner and R. Dimaline</i> | G33 |
| Oxygen metabolite-induced cytotoxicity to cultured rat gastric mucosal cells <i>H. Hiraishi, A. Terano, S.-I. Ota, K. J. Ivey, and T. Sugimoto</i> | G40 |
| A role for iron in oxidant-mediated ischemic injury to intestinal microvasculature <i>L. A. Hernandez, M. B. Grisham, and D. N. Granger</i> | G49 |
| Rapid adaptation of intestinal glucose transport: a brush-border or basolateral phenomenon? <i>W. H. Karasov and E. S. Debnam</i> | G54 |
| Potential mediation of somatostatin secretion from canine fundic D-cells by protein kinase c <i>T. Chiba, K. Sugano, J. Park, and T. Yamada</i> | G62 |
| Effect of maturation on gastrointestinal absorption of epidermal growth factor in rats <i>W. Thornburg, R. K. Rao, L. M. Matrisian, B. E. Magun, and O. Koldovsky</i> | G68 |
| Pyloric contribution to antroduodenal resistance to flow in the conscious dog <i>F. Mearin, F. Azpiroz, and J.-R. Malagelada</i> | G72 |
| Three-dimensional imaging of the stomach: role of pylorus in the emptying of liquids <i>D. Kumar, E. L. Ritman, and J.-R. Malagelada</i> | G79 |
| Age-dependent biliary excretion of glutathione-related thiols in rats: role of γ -glutamyltransferase <i>Z. Gregus, A. F. Stein, and C. D. Klaassen</i> | G86 |

RAPID COMMUNICATIONS

| | |
|--|-----|
| Interaction between oxygen radicals and gastric mucin <i>M. B. Grisham, C. Von Ritter, B. F. Smith, J. T. Lamont, and D. N. Granger</i> | G93 |
|--|-----|

LETTERS TO THE EDITOR

| | |
|---|-----|
| Basal pancreatic secretion <i>D. F. Magee; S. Konturek</i> | G97 |
|---|-----|

No. 2. AUGUST 1987

| | |
|---|------|
| Monoclonal antibody localization of Na ⁺ -K ⁺ -ATPase in the exocrine pancreas and parotid of the dog <i>Z. D. J. Smith, M. J. Caplan, B. Forbush III, and J. D. Jamieson</i> | G99 |
| Glucagon and insulin metabolism in a portal-hypertensive rat model <i>E. Sikuler, J. Polio, R. J. Groszmann, and R. Hendler</i> | G110 |

| | |
|---|------|
| Cardiac receptor modulation of blood flow and fluid transport in feline jejunum <i>H. Sjövall, P. Butcher, J. Martner, and H. Sellden</i> | G116 |
| Comparative influences of acoustic and cold stress on gastrointestinal transit in mice <i>M. Gue, J. Fioramonti, and L. Bueno</i> | G124 |
| Gastric injury induced by hemorrhage, local ischemia, and oxygen radical generation <i>S. S. Wadhwa and M. A. Perry</i> | G129 |
| Kinetics of transepithelial movement of heavy metals in rat jejunum <i>E. C. Foulkes and D. M. McMullen</i> | G134 |
| Endocrine pancreatic morphology and function in exocrine insufficiency in rats <i>B. Göke, K. Elsebach, W. Hausmann, M. Schaar, R. Arnold, and G. Adler</i> | G139 |
| Splanchnic circulatory changes during development of renal hypertension <i>G. A. Meininger, J. N. Benoit, E. Z. Ostrowska, and S. K. Muckleroy</i> | G146 |
| Acid secretion in isolated guinea pig colon <i>Y. Suzuki and K. Kaneko</i> | G155 |
| Reflex decreases in intragastric pressure in response to cholecystokinin in rats <i>H. E. Raybould, M. E. Roberts, and G. J. Dockray</i> | G165 |
| Short-chain fatty acid transport and its effects on ion transport by rabbit cecum <i>M. Hatch</i> | G171 |
| Exogenous opiates: their local mechanisms of action in the canine small intestine and stomach <i>J. E. T. Fox and E. E. Daniel</i> | G179 |
| Activation of endogenous excitatory opiate pathways in canine small intestine by field stimulation and motilin <i>J. E. T. Fox and E. E. Daniel</i> | G189 |
| Alterations in protein transport events in rat liver after estrogen treatment <i>M. A. Goldsmith, A. L. Jones, B. J. Underdown, and J. M. Schiff</i> | G195 |
| Effect of intestinal denervation on intestinal vascular response to severe arterial hypoxia in newborn swine <i>P. T. Nowicki, D. A. Caniano, and K. Szaniszló</i> | G201 |
| Effect of gastrin-releasing peptide analogues on gastrin and somatostatin release from isolated rat stomach <i>Y.-S. Guo, L. Mok, C. W. Cooper, G. H. Greeley, Jr., J. C. Thompson, and P. Singh</i> | G206 |
| Aldosterone-induced, amiloride-inhibitable short-circuit current in the avian ileum <i>B. R. Grubb and P. J. Bentley</i> | G211 |
| Secretion of lingual lipase and amylase from rat lingual serous glands <i>R. B. Field and A. R. Hand</i> | G217 |
| Role of opioid neurons in the regulation of intestinal peristalsis <i>J. R. Grider and G. M. Makhoul</i> | G226 |
| Uncoupling of the secretory pathways for IgA and secretory component by cholestasis <i>T. M. Kloppel, T. C. Hoops, D. Gaskin, and M. Le</i> | G232 |
| Central nervous system action of corticotropin-releasing factor to inhibit gastric emptying in rats <i>Y. Taché, M. Maeda-Hagiwara, and C. M. Turkelson</i> | G241 |
| Effect of luminal or circulating nitrite on colonic ion movement in the rat <i>B. C. Radcliffe, S. H. Nance, E. J. Deakin, and W. E. W. Roediger</i> | G246 |

LETTERS TO THE EDITOR

| | |
|---|------|
| Is resting anal pressure primarily due to myogenic tone of the internal anal sphincter? <i>P. D. Meunier, S. Rattan and P. J. Culver</i> | G253 |
|---|------|

ANNOUNCEMENTS

G256

EDITORIAL

Motility's morass

N. W. Weisbrodt and W. A. Weems

G257

Motor patterns of small intestine determined by closely spaced extraluminal transducers and videofluoroscopy

H.-J. Ehrlein, M. Schemann, and M.-L. Siegle

G259

Distribution and partitioning of cholesterol and β -sitosterol in micellar bile salt solutions

K. Chijiwa

G268

Hormonal effects on development of the secretory apparatus of chief cells

C.-C. Tseng, K. L. Schmidt, and L. R. Johnson

G274

Hormonal effects on development of the secretory apparatus of parietal cells

C.-C. Tseng, K. L. Schmidt, and L. R. Johnson

G284

Stimulation-induced changes in cytosolic calcium in rat parotid acini

B. Nauntofte and S. Dissing

G290

Inhibitory action of peptide YY on gastric acid secretion

Y.-S. Guo, M. Fujimura, F. Lluis, Y. Tsong,
G. H. Greeley, Jr., and J. C. Thompson

G298

Stimulation of ornithine decarboxylase activity in digestive tract mucosa

R. Jain, B. E. Eikenburg, and L. R. Johnson

G303

Coupling of guanine nucleotide inhibitory protein to somatostatin receptors on pancreatic acinar membranes

C. Sakamoto, T. Matozaki, M. Nagao, and S. Baba

G308

Responses of feline gastroesophageal junction to changes in abdominal pressure

J. T. Boyle, S. M. Altschuler, T. E. Nixon, A. I. Pack, and S. Cohen

G315

Muscarinic receptor subtypes mediating the mucosal response to neural stimulation of guinea pig ileum

H. V. Carey, X.-Y. Tien, L. J. Wallace, and H. J. Cooke

G323

Effect of systemic acid-base balance on ileal secretion

D. S. Goldfarb, P. M. Ingrassia, and A. N. Charney

G330

Localization of cholesterol synthesis along the villus-crypt axis in diabetic rats

K. R. Feingold and A. H. Moser

G336

Influence of sacral nerves on the internal anal sphincter of the opossum

S. Rattan and R. Shah

G345

Hepatic taurine transport: a Na^+ -dependent carrier on the basolateral plasma membrane

J. C. Bucuvalas, A. L. Goodrich, and F. J. Suchy

G351

Conservative and nonconservative inhibitors of gastric acid secretion

E. B. M. Ekblad and V. Ličko

G359

Brain-gut interactions: brain stem neuronal response to local gastric effects of substance P

W. D. Barber and T. F. Burks

G369

Distribution of β -adrenoceptors associated with cAMP-generating system in cat colon

K. Taniyama, T. Kuno, and C. Tanaka

G378

Involvement of calmodulin-calcium complex in regulation of O_2 uptake in regions of the liver lobule

H. Yoshihara and R. G. Thurman

G383

Fructose prevents hypoxic cell death in liver

I. Anundi, J. King, D. A. Owen, H. Schneider,
J. J. Lemasters, and R. G. Thurman

G390

Luminal digestion of lactoferrin in suckling and weanling rats

J. R. Britton and O. Koldovský

G397

Evidence for carrier-mediated Cl-SO_4 exchange in rabbit ileal basolateral membrane vesicles

C. M. Schron, R. G. Knickelbein, P. S. Aronson, and J. W. Dobbins

G404

RAPID COMMUNICATIONS

Vasoactive intestinal peptide stimulates protein phosphorylation in a colonic epithelial cell line

J. A. Cohn

G420

ANNOUNCEMENTS

G425

No. 4. OCTOBER 1987

Short-chain fatty acids stimulate motility of the canine ileum

P. S. Kamath, M. T. Hoepfner, and S. F. Phillips

G427

Role of somatostatin neurons in intestinal peristalsis: facilitatory interneurons in descending pathways

J. R. Grider, A. Arimura, and G. M. Makhoul

G434

Role of the hepatic branch of the vagus nerve in liver regeneration in rats

K. Tanaka, S. Ohkawa, T. Nishino, A. Nijima, and S. Inoue

G439

Receptor-mediated internalization and secretion of cholecystokinin into rat pancreatic duct fluid

R. S. Izso and M. Praissman

G445

Interdigestive contractile patterns of the ileum in dogs

M.-L. Siegle and H.-J. Ehrlein

G452

Bicarbonate sulfate exchange in canalicular rat liver plasma membrane vesicles

P. J. Meier, J. Valantinas, G. Hugentobler, and I. Rahm

G461

Calcium-calmodulin-stimulated protein kinase in developing pancreas

F. S. Gorelick, A. Chang, and J. D. Jamieson

G469

Detection of cholecystokinin-58 in human blood by inhibition of degradation

G. A. Eberlein, V. E. Eysselein, W. H. Hesse, H. Goebell, M. Schaefer, and J. R. Reeve, Jr.

G477

Taurodeoxycholate and the developing rabbit distal colon: absence of secretory effect

G. D. Potter, R. Lester, S. M. Burlingame, P. A. Mitchell, and K. L. Schmidt

G483

Intestinal adaptations of rainbow trout to changes in dietary carbohydrate

R. K. Buddington and J. W. Hilton

G489

Histamine H₂-receptor of human and rabbit parietal cells

R. Leth, B. Elander, U. Haglund, L. Olbe, and E. Fellenius

G497

Glycine-extended progastrin processing intermediates: accumulation and cosecretion with gastrin

K. Sugano, J. Park, W. O. Dobbins, and T. Yamada

G502

Subcellular redistribution of lysosomal enzymes during caerulein-induced pancreatitis

A. Saluja, S. Hashimoto, M. Saluja, R. E. Powers, J. Meldolesi, and M. L. Steer

G508

Intracellular transport of pancreatic zymogens during caerulein supramaximal stimulation

I. Saito, S. Hashimoto, A. Saluja, M. L. Steer, and J. Meldolesi

G517

Mechanism for high PCO₂ in gastric juice: roles of bicarbonate secretion and CO₂ diffusion

M. H. Stevens, R. C. Thirlby, and M. Feldman

G527

Inhibitory control of proximal colonic motility by the sympathetic nervous system

R. A. Gillis, J. D. Souza, K. A. Hicks, A. W. Mangel, F. D. Pagani, B. L. Hamilton, T. Q. Garvey III, D. G. Pace, R. K. Browne, and W. P. Norman

G531

Mediators of anaphylaxis-induced ion transport changes in small intestine

G. A. Castro, Y. Harari, and D. Russell

G540

Variations in rat mesenteric tissue thickness due to microvasculature

B. J. Barber, J. Oppenheimer, D. C. Zawieja, and H. A. Zimmermann

G549

- Synergism between cellular messengers and agonist combinations
in pepsinogen secretion
*H. Matsumoto, K. E. J. Dickinson, T. Shirakawa, K. Komiyama, and
B. I. Hirschowitz* G557
- Differential effects of [Gln⁴]neurotensin on circular and longitudinal muscle
of dog ileum in vitro
M. Karaus, K. R. Prasad, S. K. Sarna, and I. M. Lang G566

SPECIAL COMMUNICATIONS

- Hybrid blood flow probe for simultaneous H₂ clearance and laser-Doppler velocimetry
G. R. DiResta, J. W. Kiel, G. L. Riedel, P. Kaplan, and A. P. Shepherd G573

RAPID COMMUNICATIONS

- Corticotropin-releasing factor directly mediates colonic responses to stress
C. L. Williams, J. M. Peterson, R. G. Villar, and T. F. Burks G582

No. 5. NOVEMBER 1987

- Determinants of resting and passive intestinal vascular pressures in rat and rabbit
H. G. Bohlen G587
- Increased lymphocyte transport by lipid absorption in rat mesenteric lymphatics
*S. Miura, E. Sekizuka, H. Nagata, C. Oshio, H. Minamitani, M. Suematsu,
M. Suzuki, Y. Hamada, K. Kobayashi, H. Asakura, and M. Tsuchiya* G596
- γ -Aminobutyric acid stimulates acid secretion from the isolated guinea pig stomach
L. H. Tsai, K. Taniyama, and C. Tanaka G601
- Somatostatin inhibits cAMP-mediated cholinergic transmission in the myenteric plexus
J. Wiley and C. Owyang G607
- Effects of chlorpromazine on Na⁺-K⁺-ATPase pumping and solute transport
in rat hepatocytes
R. W. Van Dyke and B. F. Scharschmidt G613
- Effect of epidermal growth factor on growth and postnatal development of
the rabbit liver
*K. Opleta, E. V. O'Loughlin, E. A. Shaffer, J. Hayden, M. Hollenberg, and
D. G. Gall* G622
- Oxygen radicals stimulate guinea pig gallbladder glycoprotein secretion in vitro
W. B. Hale, B. Turner, and J. T. LaMont G627
- A carrier-mediated, Na⁺ gradient-dependent transport for biotin in human intestinal
brush-border membrane vesicles
H. M. Said, R. Redha, and W. Nylander G631
- Is leucine an allosteric modulator of the lysine transporter in the
intestinal basolateral membrane?
K. Lawless, D. Maenz, and C. Cheeseman G637
- GRP nerves in pig antrum: role of GRP in vagal control of gastrin secretion
*J. J. Holst, S. Knuhtsen, C. Ørskov, T. Skak-Nielsen, S. S. Poulsen, S. L. Jensen,
and O. V. Nielsen* G643
- Altered sensitivity of the gallbladder to cholecystokinin octapeptide in
irritable bowel syndrome
J. E. Kellow, L. J. Miller, S. F. Phillips, A. R. Zinsmeister, and J. W. Charboneau G650
- [³H]QNB binding and contraction of rabbit colonic smooth muscle cells
*M. J. Ringer, P. E. Hyman, H. W. Kao, C. T. Hsu, T. Tomomasa, and
W. J. Snape, Jr.* G656
- Enhancement of intestinal growth in neonatal rats by epidermal growth factor in milk
C. L. Berseth G662
- Receptors for substance P on isolated intestinal smooth muscle cells of the guinea pig
J.-C. Souquet, K. N. Bitar, J. R. Grider, and G. M. Makhoulf G666
- Effect of chloroquine on intestinal lipid metabolism
C. M. Mansbach II, A. Arnold, and M. Garrett G673

| | |
|---|------|
| Influence of motilin and cholecystokinin on sphincter of Oddi and duodenal motility <i>E. L. Muller, P. A. Grace, R. L. Conter, J. J. Roslyn, and H. A. Pitt</i> | G679 |
| Somatostatin and muscarinic inhibition of canine enteric endocrine cells: cellular mechanisms <i>D. L. Barber, M. Gregor, and A. H. Soll</i> | G684 |
| Secretagogue-induced changes in intracellular pH and amylase release in mouse pancreatic acini <i>K. J. Carter, P. L. Rutledge, M. L. Steer, and W. Silen</i> | G690 |
| Giant migrating contractions and their myoelectric correlates in the small intestine <i>S. K. Sarna</i> | G697 |

RAPID COMMUNICATIONS

| | |
|---|------|
| Pancreatic polypeptide inhibits pancreatic enzyme secretion via a cholinergic pathway <i>G. Jung, D. S. Louie, and C. Owyang</i> | G706 |
|---|------|

No. 6. DECEMBER 1987

| | |
|--|------|
| Zymogen granule acidity is not required for stimulated pancreatic protein secretion <i>R. C. De Lisle and J. A. Williams</i> | G711 |
| Neural regulation of gastrin and somatostatin secretion in rat gastric antral mucosa <i>M. L. Schubert and G. M. Makhlof</i> | G721 |
| Sympathetic control of motility, fluid transport, and transmural potential difference in the rabbit ileum <i>B. Greenwood, L. Tremblay, and J. S. Davison</i> | G726 |
| Bile salt absorption in killifish intestine <i>R. E. Honkanen and J. S. Patton</i> | G730 |
| Opiate activity and transepithelial passage of intact β -casomorphins in rabbit ileum <i>D. Tome, A.-M. Dumontier, M. Hautefeuille, and J.-F. Desjeux</i> | G737 |
| Temporal changes in mechanical properties of rat jejunal smooth muscle after myenteric plexus ablation <i>J. R. Herman and P. Bass</i> | G745 |
| Differential intestinal absorption of two fatty acid isomers: elaidic and oleic acids <i>A. Bernard, B. Echinard, and H. Carlier</i> | G751 |
| Contraction mediated by Ca^{2+} influx in esophageal muscle and by Ca^{2+} release in the LES <i>P. Biancani, C. Hillemeier, K. N. Bitar, and G. M. Makhlof</i> | G760 |
| GRP-producing nerves control antral somatostatin and gastrin secretion in pigs <i>J. J. Holst, S. Knuhtsen, C. Ørskov, T. Skak-Nielsen, S. S. Poulsen, and O. Vagn Nielsen</i> | G767 |
| T_{84} cell receptor binding and guanyl cyclase activation by <i>Escherichia coli</i> heat-stable toxin <i>A. Guarino, M. Cohen, M. Thompson, K. Dharmasathaphorn, and R. Giannella</i> | G775 |
| Role of rat intestinal brush-border membrane angiotensin-converting enzyme in dietary protein digestion <i>M. Yoshioka, R. H. Erickson, J. F. Woodley, R. Gulli, D. Guan, and Y. S. Kim</i> | G781 |
| Intact biliary excretion of gastrically administered prostaglandin $F_{2\alpha}$ in rats: developmental differences <i>A. D. Bedrick, M. A. Wells, D. L. Ford, and O. Koldovsky</i> | G787 |
| Characterization of gastrin receptors on guinea pig pancreatic acini <i>D.-H. Yu, M. Noguchi, Z.-C. Zhou, M. L. Villanueva, J. D. Gardner, and R. T. Jensen</i> | G793 |
| Hormonal regulation of adaptive intestinal growth in artificially reared rat pups <i>K.-Y. Yeh, M. Yeh, and P. R. Holt</i> | G802 |
| Chronic alterations in jejunal myoelectric activity in rats due to MPTP <i>E. Y. Eaker, G. B. Bixler, A. J. Dunn, W. V. Moreshead, and J. R. Mathias</i> | G809 |
| Identification of a single sinusoidal bile salt uptake system in skate liver <i>G. Fricker, G. Hugentobler, P. J. Meier, G. Kurz, and J. L. Boyer</i> | G816 |

RAPID COMMUNICATIONS

Histamine increases phosphorylation of 27- and 40-kDa parietal cell proteins

C. S. Chew and M. R. Brown

G823

Subject Index to Volume 16

G831

Author Index to Volume 16

G839

CORRIGENDA

Volume 252, May 1987

Volume 15, May 1987

Page G662: Terri F. Apfelbaum, Nicholas O. Davidson, and Robert M. Glickman. "Apolipoprotein A-IV synthesis in rat intestine: regulation by dietary triglyceride." *Page G663:* sentence beginning on line 10, second column, should read "Data are expressed as mean \pm 1 SD, and comparisons for both paired and unpaired means were made by Student's *t* test."

American Journal of Physiology: Heart and Circulatory Physiology

No. 1. JULY 1987

| | |
|---|------|
| Vasopressin facilitates inhibition of renal nerve activity mediated through vagal afferents <i>B. N. Gupta, A. L. Abboud, J. S. Floras, P. E. Aylward, and F. M. Abboud</i> | H1 |
| Modification of sarcolemmal phosphatidylethanolamine N-methylation during heart hypertrophy <i>V. Panagia, K. Okumura, K. R. Shah, and N. S. Dhalla</i> | H8 |
| Conduction blocks in and around preferential pathway of dog right atrium <i>K. Yamashita, M. Hiraoka, and H. Adaniya</i> | H16 |
| Metabolic mediation of single brief diastolic occlusion reactive hyperemic responses <i>N. Sadick, G. P. Dubé, P. A. McHale, and J. C. Greenfield, Jr.</i> | H25 |
| Relation between oxygen consumption and pressure-volume area of in situ dog heart <i>T. Nozawa, Y. Yasumura, S. Futaki, N. Tanaka, Y. Igarashi, Y. Goto, and H. Suga</i> | H31 |
| Stimulation of myocardial coenzyme A degradation by fatty acids <i>G. D. Lopaschuk and J. R. Neely</i> | H41 |
| Nonuniformity of CBF response to NE- or ANG II-induced hypertension in rabbits <i>A.-M. Reynier-Rebuffel, P. Aubineau, O. Issertial, and J. Seylaz</i> | H47 |
| Increased vascular resistance during complement-activated plasma infusion in swine <i>L. J. Swenson, G. A. Pantely, C. G. Anselone, and J. D. Bristow</i> | H58 |
| Free and conjugated catecholamines in dog pulmonary artery: presence and pharmacological action <i>D. K. Rorie and G. M. Tyce</i> | H66 |
| Biaxial mechanical properties of human pericardium and canine comparisons <i>M.-C. Lee, Y. C. Fung, R. Shabetai, and M. M. LeWinter</i> | H75 |
| Description of LV pressure-volume relations by time-varying elastance and a source resistance <i>W. C. Little and G. L. Freeman</i> | H83 |
| Inhibition of renal sympathetic nervous activity by area postrema stimulation in rabbits <i>E. M. Hasser, D. O. Nelson, J. R. Haywood, and V. S. Bishop</i> | H91 |
| Postnatal changes in critical cardiac output and oxygen transport in conscious lambs <i>J. T. Fahey and G. Lister</i> | H100 |
| Substrate use in ischemic and reperfused canine myocardium: quantitative considerations <i>D. W. Myears, B. E. Sobel, and S. R. Bergmann</i> | H107 |
| Effects of reducing $[Na^+]_o$ on catecholamine-induced delayed afterdepolarizations in atrial cells <i>G.-N. Tseng and A. L. Wit</i> | H115 |
| Peripheral circulatory control of preload-afterload mismatch with angiotensin in dogs <i>R. W. Lee, L. D. Lancaster, D. Buckley, and S. Goldman</i> | H126 |
| Primary resetting of left atrial sensory endings in Dahl salt-sensitive rats fed a low-salt diet <i>P. Thoren, D. A. Morgan, and A. L. Mark</i> | H133 |
| Effects of regional denervation on epicardial DC electrograms during coronary occlusion in pigs <i>J. Cinca, A. Bardaji, J. Figueras, A. Salas-Caudevilla, A. Serrano, and J. Rius</i> | H138 |
| Reflectance measurements of hematocrit and oxyhemoglobin saturation <i>J. M. Steinke and A. P. Shepherd</i> | H147 |
| Quantitative analysis of arteriolar network architecture in cat sartorius muscle <i>A. Koller, B. Dawant, A. Liu, A. S. Popel, and P. C. Johnson</i> | H154 |
| Role of adenosine in regulation of cerebral blood flow: effects of theophylline during normoxia and hypoxia <i>S. Morii, A. C. Ngai, K. R. Ko, and H. R. Winn</i> | H165 |

| | |
|---|------|
| Hemodynamic regulation in SHR: investigation by spectral analysis <i>S. Akselrod, S. Eliash, O. Oz, and S. Cohen</i> | H176 |
|---|------|

SPECIAL COMMUNICATIONS

| | |
|--|------|
| Validity of microsphere depositions for regional myocardial flows <i>J. B. Bassingthwaite, M. A. Malone, T. C. Moffett, R. B. King, S. E. Little, J. M. Link, and K. A. Krohn</i> | H184 |
| Integral-mass balance method for determination of solvent drag reflection coefficient <i>M. B. Wolf, P. D. Watson, and D. R. Scott II</i> | H194 |

RAPID COMMUNICATIONS

| | |
|--|------|
| Effect of phorbol esters on contractile state and calcium flux in cultured chick heart cells <i>G. F. Leatherman, D. Kim, and T. W. Smith</i> | H205 |
| Rectification of muscarinic K ⁺ current by magnesium ion in guinea pig atrial cells <i>M. Horie and H. Irisawa</i> | H210 |

No. 2. AUGUST 1987

EDITORIAL

| | |
|---------------------|------|
| <i>V. S. Bishop</i> | H215 |
|---------------------|------|

| | |
|--|------|
| Brachial arterial changes in response to wrist occlusion in normotensive and hypertensive men <i>J. Levenson, A. Simon, and I. Pithois-Merli</i> | H217 |
| Protective effect of transient calcium reduction against reperfusion-induced arrhythmias in rat hearts <i>A. Tosaki and D. J. Hearse</i> | H225 |
| Selective inhibition of endothelium-dependent dilation in resistance-sized vessels in vivo <i>U. Pohl, L. Dézsi, B. Simon, and R. Busse</i> | H234 |
| Transmural anoxic wave front and regional dysfunction during early ischemia <i>H. Kanaide, Y. Taira, and M. Nakamura</i> | H240 |
| Mg inhibits voltage and tension oscillation but potentiates twitch in depolarized myocardium <i>T. Ito and T. Ehara</i> | H248 |
| Post-reextension force decay of relaxing cardiac muscle <i>S. U. Sys, W. J. Paulus, V. A. Claes, and D. L. Brutsaert</i> | H256 |
| Altered cardiac polyamine biosynthesis in spontaneously hypertensive rats <i>H. Ruskoaho and H. Raunio</i> | H262 |
| Red blood cell catecholamine levels in normotensive and DOCA-salt hypertensive rats <i>M. Bouvier, L. Farley, and J. de Champlain</i> | H270 |
| Enhanced myocardial depression in diabetic rats during <i>E. coli</i> sepsis <i>K. H. McDonough, R. W. Barbee, C. Dobrescu, C. H. Lang, and J. J. Spitzer</i> | H276 |
| Measurement of interstitial fluid pressure in dogs: evaluation of methods <i>H. Wiig, R. K. Reed, and K. Aukland</i> | H283 |
| Volume-pressure relationship (compliance) of interstitium in dog skin and muscle <i>H. Wiig and R. K. Reed</i> | H291 |
| Nonhuman primate model for regional wave travel and reflections along aortas <i>R. D. Latham, B. J. Rubal, N. Westerhof, P. Sipkema, and R. A. Walsh</i> | H299 |
| Intramycocardial blood volume change in first moments of cardiac arrest in anesthetized goats <i>I. Vergroesen, M. I. M. Noble, and J. A. E. Spaan</i> | H307 |
| Coronary input impedance during cardiac cycle as determined by impulse response method <i>G. A. Van Huis, P. Sipkema, and N. Westerhof</i> | H317 |
| Time course of aerobic recovery after contraction of rabbit papillary muscle <i>F. Mast and G. Elzinga</i> | H325 |

| | |
|---|------|
| Postpacing tachycardia: autonomic involvement <i>J. M. Loeb, J. M. deTarnowsky, M. R. Warner, and C. C. Whitson</i> | H333 |
| Effects of L-thyroxine in rats with chronic heart failure after myocardial infarction <i>R. Gay, T. A. Gustafson, S. Goldman, and E. Morkin</i> | H341 |
| Chronic pressure overload hypertrophy decreases direct ventricular interaction <i>B. K. Slinker, A. C. P. Chagas, and S. A. Glantz</i> | H347 |
| Dopaminergic stimulation of cAMP accumulation in cultured rat mesangial cells <i>P. J. Shultz, J. R. Sedor, and H. E. Abboud</i> | H358 |
| Effects of α -adrenergic blockade on coronary autoregulation in dogs <i>C. E. Jones, I. Y. S. Lieng, and P. A. Gwirtz</i> | H365 |
| Action potential duration in ventricular muscle during selective metabolic block <i>H. Hayashi, T. Watanabe, and T. F. McDonald</i> | H373 |
| Left ventricular function in malnutrition <i>P. B. Alden, R. D. Madoff, T. J. Stahl, D. J. Lakatua, W. S. Ring, and F. B. Cerra</i> | H380 |
| Coronary vasoconstriction mediated by α_1 - and α_2 -adrenoceptors in conscious dogs <i>O. L. Woodman and S. F. Vatner</i> | H388 |
| Atrioventricular responses of canine heart following chronic unilateral vagotomy <i>D. V. Priola, C. Anagnostelis, C. Sanchez-Wilson, and T. M. Blomquist</i> | H394 |
| Length-dependent sensitivity of vascular smooth muscle in normotensive and hypertensive animals <i>E. Coskinas and J. M. Price</i> | H402 |
| Temporal relation between energy metabolism and myocardial function during ischemia and reperfusion <i>K. Clarke, A. J. O'Connor, and R. J. Willis</i> | H412 |
| Coronary vasodilator reserve persists despite tachycardia and myocardial ischemia <i>J. D. Bristow, E. O. McFalls, C. G. Anselone, and G. A. Pantely</i> | H422 |
| Tunneling cell processes in myocytes of stretched mouse atria <i>E. Page, G. E. Goings, B. Power, and J. Upshaw-Earley</i> | H432 |
| Myocardial adaptation to chronic propranolol therapy in normal rats <i>F. S. Fein, B. Zola, B. Miller, A. Malhotra, and E. H. Sonnenblick</i> | H444 |
| Effect of MCA occlusion on brain O_2 supply and consumption determined microspectrophotometrically <i>E. Buchweitz-Milton and H. R. Weiss</i> | H454 |
| Effects of elevation of phosphocreatine on force and metabolism in rabbit aorta <i>D. P. Scott, S. Davidheiser, and R. F. Coburn</i> | H461 |
| Regulation of arterial pressure lability in rats with chronic sinoaortic deafferentation <i>R. H. Alper, H. J. Jacob, and M. J. Brody</i> | H466 |
| Quantitative comparison of canine right and left ventricular isovolumic pressure waves <i>D. Burkhoff, M. W. Kronenberg, D. T. Yue, W. L. Maughan, W. C. Hunter, and K. Sagawa</i> | H475 |
| Microlesion formation in myocardial cells by high-intensity electric field stimulation <i>J. L. Jones, R. E. Jones, and G. Balasky</i> | H480 |

No. 3. SEPTEMBER 1987

| | |
|---|------|
| Frequency-dependent myocardial depression induced by verapamil in conscious dogs <i>R. J. Applegate, R. A. Walsh, and R. A. O'Rourke</i> | H487 |
| AVP-induced pulmonary vasodilation during specific V_1 receptor block in conscious dogs <i>D. P. Nyhan, P. W. Clougherty, and P. A. Murray</i> | H493 |
| Adrenergic effects on internal cardiac defibrillation threshold <i>M. F. Rattes, A. D. Sharma, G. J. Klein, T. Szabo, and D. L. Jones</i> | H500 |
| Central opioid mechanisms and cardiovascular control in hemorrhagic hypotension <i>P. Sandor, W. de Jong, V. Wiegant, and D. de Wied</i> | H507 |
| Relaxation time constant of isolated rabbit left ventricle <i>P. Schiereck, J. H. M. Nieuwenhuijs, E. L. de Beer, M. W. J. van Hessen, F. A. M. van Kaam, and A. Crowe</i> | H512 |
| Effects of thyroid state on respiration of perfused rat and guinea pig hearts <i>L. C. Read, P. G. Wallace, and M. N. Berry</i> | H519 |

| | |
|--|------|
| Effect of area postrema lesion on low-frequency arterial pressure oscillations in dogs <i>F. E. Pollick, K. L. Barnes, and C. M. Ferrario</i> | H524 |
| Changes in adrenergic pressor responses by calcium channel modulation in conscious dogs <i>J. C. Wynsen, G. J. Gross, H. L. Brooks, and D. C. Wartier</i> | H531 |
| Blood viscosity in small tubes: effect of shear rate, aggregation, and sedimentation <i>W. Reinke, P. Gaehtgens, and P. C. Johnson</i> | H540 |
| Effects of aminophylline on behaviorally induced coronary blood flow increases <i>G. E. Billman</i> | H548 |
| Hypoxia, bradykinin, and prostaglandins stimulate ischemically sensitive visceral afferents <i>J. C. Longhurst and L. E. Dittman</i> | H556 |
| Coordinated diameter oscillations at arteriolar bifurcations in skeletal muscle <i>J.-U. Meyer, L. Lindbom, and M. Intaglietta</i> | H568 |
| Dexamethasone potentiates hypoxic vasoconstriction in salt solution-perfused rat lungs <i>J. Herget and I. F. McMurtry</i> | H574 |
| Functional significance of α -adrenergic receptors in mature coronary collateral circulation of dogs <i>Y. Maruoka, M. D. McKirnan, R. L. Engler, and J. C. Longhurst</i> | H582 |
| Tachycardia of carotid chemoreceptors originates in apneic asphyxia in dogs <i>P. D. Gupta and M. Singh</i> | H591 |
| Aortic arch reflex of total systemic vascular capacity <i>A. A. Shoukas, M. J. Brunner, A. S. Greene, and C. L. MacAnespie</i> | H598 |
| Calcium channel blockers induce preferential coronary vasodilation by an α_1 -mechanism <i>D. R. Knight and S. F. Vatner</i> | H604 |
| Little carbon dioxide diffusional shunting in coronary circulation <i>S. A. Katz and E. O. Feigl</i> | H614 |
| Role of eicosanoids in hypoxic vasoconstriction in isolated lamb lungs <i>J. U. Raj and P. Chen</i> | H626 |
| Lung morphological and permeability changes induced by intravascular coagulation in dogs <i>F. L. Minnear, D. Martin, L. Hill, A. E. Taylor, and A. B. Malik</i> | H634 |
| Dynamics of cardiac muscle: analysis of isotonic, isometric, and isochronal curves <i>O. N. Nwasokwa</i> | H645 |
| Effects of albumin concentration on endothelial albumin transport in vitro <i>D. M. Shasby and M. W. Peterson</i> | H654 |
| Metabolism and electrophysiology in subendocardial Purkinje fibers after infarction <i>K. G. Lurie, T. M. Argentieri, J. Sheldon, L. H. Frame, and F. M. Matschinsky</i> | H662 |

SPECIAL COMMUNICATIONS

| | |
|--|------|
| Use of ultrasound for noninvasive study of blood vessel responsiveness <i>G. J. Stewart, M. C. Ziskin, R. G. Schaub, R. E. Cartee, C. M. Philips, E. A. Stone, and D. W. Manuel</i> | H671 |
|--|------|

MODELING METHODOLOGY FORUM

| | |
|--|------|
| Hemodynamic fluctuations and baroreflex sensitivity in humans: a beat-to-beat model <i>R. W. deBoer, J. M. Karemaker, and J. Strackee</i> | H680 |
| Modeling mechanical alternans in the beating heart: advantages of a systems- oriented approach <i>D. Adler and Y. Mahler</i> | H690 |

RAPID COMMUNICATIONS

| | |
|---|------|
| Role of neutrophils in ischemia-reperfusion-induced microvascular injury <i>L. A. Hernandez, M. B. Grisham, B. Twohig, K. E. Arfors, J. M. Harlan, and D. N. Granger</i> | H699 |
|---|------|

| | |
|---|------|
| Quinidine-induced inhibition of transient outward current in cardiac muscle <i>Y. Imaizumi and W. R. Giles</i> | H704 |
| Free radical-producing enzyme, xanthine oxidase, is undetectable in human hearts <i>L. J. Eddy, J. R. Stewart, H. P. Jones, T. D. Engerson, J. M. McCord, and J. M. Downey</i> | H709 |

| | |
|----------------------|------|
| ANNOUNCEMENTS | H712 |
|----------------------|------|

No. 4. OCTOBER 1987

| | |
|--|------|
| Regional ventricular segmental dynamics in normal conscious dogs <i>L. Hittinger, B. Crozatier, J.-P. Belot, and M. Pierrot</i> | H713 |
| Electrophysiological properties of automatic fibers in rabbit atrioventricular valves <i>G. J. Rozanski</i> | H720 |
| Baroreflex mechanisms buffering α -adrenergic agonists in conscious dogs <i>A. M. Fujii and S. F. Vatner</i> | H728 |
| Twitch contractions during low Na^+ -induced $[\text{Ca}^{2+}]_i$ overload in rat ventricular muscle <i>H. Watanabe, N. Ishide, and T. Takishima</i> | H737 |
| Direct platelet-fibrin interaction that does not require platelet activation <i>C. J. Jen and S. J. Hu</i> | H745 |
| Hyperosmotic sodium salts reverse severe hemorrhagic shock: other solutes do not <i>M. Rocha e Silva, I. T. Velasco, R. I. Nogueira da Silva, M. A. Oliveira, G. A. Negraes, and M. A. Oliveira</i> | H751 |
| Vasoconstrictor role for vasopressin in conscious, sodium-depleted rats <i>B. Jover, M. Dupont, A. Mimran, R. Woods, and B. McGrath</i> | H763 |
| Left ventricular O_2 consumption and pressure-volume area in puppies <i>H. Suga, O. Yamada, Y. Goto, Y. Igarashi, Y. Yasumura, T. Nozawa, and S. Futaki</i> | H770 |
| Depressor neurons in rabbit caudal medulla do not transmit the baroreceptor-vasomotor reflex <i>W. W. Blessing and J. O. Willoughby</i> | H777 |
| Attenuation of baroreceptive mechanisms by cardiovascular sympathetic afferent fibers <i>T. G. Ruscone, F. Lombardi, G. Malfatto, and A. Malliani</i> | H787 |
| Endothelium inhibits responses of rabbit carotid artery to adrenergic nerve stimulation <i>B. Tesfamariam, R. M. Weisbrod, and R. A. Cohen</i> | H792 |
| Myocardial potassium uptake during α - and β -adrenoceptor stimulation <i>Ø. Ellingsen, Ø. A. Vengen, and A. Ilebekk</i> | H799 |
| Carotid and aortic baroreceptor control of heart rate in conscious monkey <i>M. W. Barazangi and K. G. Cornish</i> | H811 |
| Role of sympathetic nerves during developing cardiac hypertrophy in Grollman hypertensive rats <i>R. J. Tomanek, D. W. Carlson, P. J. Palmer, and R. K. Bhatnagar</i> | H818 |
| Subendocardial segment length shortening at lateral margins of ischemic myocardium in dogs <i>K. P. Gallagher, R. A. Gerren, M. Choy, M. C. Stirling, and R. C. Dysko</i> | H826 |
| Arterial pressure after chronic reductions in suprarenal aortic flow in fetal lambs <i>D. F. Anderson, C. M. Parks, and J. J. Faber</i> | H838 |
| Limited capacity for renal vasodilatation in anesthetized diabetic rats <i>H. Ha and E. W. Dunham</i> | H845 |
| Determination of pyridine nucleotide fluorescence from the perfused heart using an internal standard <i>A. P. Koretsky, L. A. Katz, and R. S. Balaban</i> | H856 |
| Acetylcholine release by a stimulus train lowers atrial fibrillation threshold <i>D. E. Euler and P. J. Scanlon</i> | H863 |
| Hypothermia reduces cerebral metabolic rate and cerebral blood flow in newborn pigs <i>D. W. Busija and C. W. Leffler</i> | H869 |
| Aging of modulation of heart rate <i>D. C. Shannon, D. W. Carley, and H. Benson</i> | H874 |

| | |
|---|------|
| Effect of ambient oxygen on cultured endothelial cells from different vascular beds <i>H. W. Farber, D. M. Center, and S. Rounds</i> | H878 |
| Relaxation of canine coronary artery to electrical stimulation: limited role of free radicals <i>M. Feletou and P. M. Vanhoutte</i> | H884 |
| Interaction of hypoxia and hypercapnia on cerebral hemodynamics and brain electrical activity in dogs <i>R. W. McPherson, D. Eimerl, and R. J. Traystman</i> | H890 |
| Influence of reduced red cell deformability on regional blood flow <i>S. Simchon, K.-M. Jan, and S. Chien</i> | H898 |
| Altered intracellular adrenoceptor distribution in myocardium of spontaneously hypertensive rats <i>C. J. Limas and C. Limas</i> | H904 |
| Role of adenosine in noradrenergic neurotransmission in spontaneously hypertensive rats <i>E. K. Jackson</i> | H909 |
| Rapidly recovered transient flow resistance: a newly discovered property of blood <i>D. E. McMillan, J. Strigberger, and N. G. Utterback</i> | H919 |
| Role of catecholamines in mediating fetal blood volume decrease during acute hypoxia <i>R. A. Brace and C. Y. Cheung</i> | H927 |
| Alterations in the microvasculature of one-kidney, one-clip hypertensive rats <i>H. Hashimoto, R. L. Prewitt, and C. W. Efav</i> | H933 |
| Persistent fetal pulmonary hypoperfusion after acute hypoxia <i>S. H. Abman, F. J. Accurso, R. B. Wilkening, and G. Meschia</i> | H941 |
| β -Receptor-mediated increase in cerebral blood flow during hypoglycemia <i>B. R. Hollinger and R. M. Bryan</i> | H949 |
| Role of hypotension in decreasing cerebral blood flow in porcine endotoxemia <i>C. F. Miller, M. J. Breslow, R. M. Shapiro, and R. J. Traystman</i> | H956 |

SPECIAL COMMUNICATIONS

| | |
|--|------|
| Double-barrel pipette system for microinjection <i>M. J. Davis and R. W. Gore</i> | H965 |
| Canine AV nodal artery: anatomical variations and a detailed description of cannulation technique <i>T. Mitsuoka, A. Pelleg, E. L. Michelson, and L. S. Dreifus</i> | H968 |

RAPID COMMUNICATIONS

| | |
|--|------|
| Acute resetting of arterial baroreflexes in hypertensive rats <i>C. M. Heesch and L. A. Carey</i> | H974 |
| Hypertension in SHR rats: contribution of maternal environment <i>M. A. Cierpial and R. McCarty</i> | H980 |
| Expression of single calcium channels in <i>Xenopus</i> oocytes after injection of mRNA from rat heart <i>J. R. Moorman, Z. Zhou, G. E. Kirsch, A. E. Lacerda, J. M. Caffrey, D. M.-K. Lam, R. H. Joho, and A. M. Brown</i> | H985 |

LETTERS TO THE EDITOR

| | |
|---|------|
| Chronic vascular access for repeated blood sampling in the unrestrained rat <i>M. Giner, K. Snyder, and M. M. Meguid</i> | H992 |
|---|------|

No. 5. NOVEMBER 1987

INVITED REVIEW

| | |
|---|------|
| Skeletal muscle blood flow capacity: role of muscle pump in exercise hyperemia <i>M. H. Laughlin</i> | H993 |
|---|------|

| | |
|--|-------|
| Changes in LV papillary muscle performance and myosin composition with aortic insufficiency in rats <i>C. S. Apstein, Y. Lecarpentier, J.-J. Mercadier, J.-L. Martin, F. Pontet, C. Wisniewsky, K. Schwartz, and B. Swynghedauw</i> | H1005 |
| Lesions of A1 noradrenergic cells affect AVP release and heart rate during hemorrhage <i>G. A. Head, A. W. Quail, and R. L. Woods</i> | H1012 |
| Electrical restitution process in dispersed canine cardiac Purkinje and ventricular cells <i>R. B. Robinson, P. A. Boyden, B. F. Hoffman, and K. W. Hewett</i> | H1018 |
| Sarcolemmal Na^+ - Ca^{2+} exchange activity in hearts subjected to hypoxia reoxygenation <i>I. M. C. Dixon, D. A. Eytelson, and N. S. Dhalla</i> | H1026 |
| Receptor-mediated effects of a PGH_2 analogue (U 46619) on human platelets <i>T. A. Morinelli, S. Niewiarowski, J. L. Daniel, and J. B. Smith</i> | H1035 |
| Release of atrial natriuretic factor from heart-lung preparations of inbred Dahl rats <i>M. O. Onwochei, R. M. Snajdar, and J. P. Rapp</i> | H1044 |
| Participation of adrenoceptors in liver blood flow regulation in anesthetized dogs <i>N. Terada, S. Koyama, J. Horiuchi, and T. Takeuchi</i> | H1053 |
| Differential vagal effects on antegrade vs. retrograde atrioventricular conduction <i>T. Mitsuoka, T. Mazgalev, L. S. Dreifus, and E. L. Michelson</i> | H1059 |
| Fibrin has larger pores when formed in the presence of erythrocytes <i>M. E. Carr, Jr., and C. L. Hardin</i> | H1069 |
| Mechanisms of endothelium-dependent vascular smooth muscle relaxation elicited by bradykinin and VIP <i>L. J. Ignarro, R. E. Byrns, G. M. Buga, and K. S. Wood</i> | H1074 |
| Monophasic action potentials during induced hypothermia in hedgehog and guinea pig hearts <i>G. Duker, P.-O. Sjöquist, and B. W. Johansson</i> | H1083 |
| Electrophysiological derangements induced by lipid peroxidation in cardiac tissue <i>H. Nakaya, N. Tohse, and M. Kanno</i> | H1089 |
| Relationship of myocardial metabolism and coronary flow: dependence on extracellular calcium <i>W. L. Rumsey, D. F. Wilson, and M. Erecińska</i> | H1098 |
| Sympathetic modulation of rabbit aortic baroreceptors in vitro <i>P. A. Munch and A. M. Brown</i> | H1106 |
| Modulation of adrenergic responses in pressurized resistance arteries by flow <i>B. Tesfamariam and W. Halpern</i> | H1112 |
| Arteriolar oxygen reactivity: where is the sensor? <i>W. F. Jackson</i> | H1120 |
| Interactions in nucleus tractus solitarius between right and left carotid sinus nerves <i>R. B. Felder and C. M. Heesch</i> | H1127 |
| α -ANP alters reflex control of lumbar and renal sympathetic nerve activity and heart rate <i>T. Imaizumi, A. Takeshita, H. Higashi, and M. Nakamura</i> | H1136 |
| Force-length dependence of arterial lamellar, smooth muscle, and myofilament orientations <i>J. G. Walmsley and R. A. Murphy</i> | H1141 |
| Relative importance of hypertension after coronary occlusion in chronic hypertensive dogs with LVH <i>T. Inou, W. C. Lamberth, Jr., S. Koyanagi, D. G. Harrison, C. L. Eastham, and M. L. Marcus</i> | H1148 |
| Ischemia- and agonist-induced changes in α - and β -adrenergic receptor traffic in guinea pig hearts <i>A. S. Maisel, H. J. Motulsky, M. G. Ziegler, and P. A. Insel</i> | H1159 |
| Neural, hemodynamic, and renal responses to stimulation of intestinal receptors <i>L. C. Weaver, S. Genovesi, A. Stella, and A. Zanchetti</i> | H1167 |
| Polarity of arachidonic acid metabolism by bovine aortic endothelial cell monolayers <i>D. M. Shasby, L. L. Stoll, and A. A. Spector</i> | H1177 |

| | |
|--|-------|
| Phosphorylation potential and adenosine release during norepinephrine infusion in guinea pig heart <i>M.-X. He, R. D. Wangler, P. F. Dillon, G. D. Romig, and H. V. Sparks</i> | H1184 |
| Adenosine and hypoxia effects on atrioventricular node of adult and neonatal rabbit hearts <i>M.-L. Young, B. M. Razza, R. C. Tan, and R. W. Joyner</i> | H1192 |
| Does inadequate oxygen delivery trigger pressor response to muscle hypoperfusion during exercise? <i>D. D. Sheriff, C. R. Wyss, L. B. Rowell, and A. M. Scher</i> | H1199 |
| Platelet-collagen adhesion enhances platelet aggregation induced by binding of VWF to platelets <i>F. M. Laduca, W. R. Bell, and R. E. Bettigole</i> | H1208 |
| High-energy phosphates and function in isolated, working rabbit hearts <i>E. D. Lewandowski, M. D. Devous, Sr., and R. L. Nunnally</i> | H1215 |
| Inosine preserves ATP during ischemia and enhances recovery during reperfusion <i>M. D. Devous, Sr., and E. D. Lewandowski</i> | H1224 |
| Neuropeptide Y is a potent vasoconstrictor and a cardiodepressant in rats <i>Z. Zukowska-Grojec, E. S. Marks, and M. Haass</i> | H1234 |
| Interaction between cardiac chambers and thoracic pressure in intact circulation <i>R. Beyar, M. J. Hausknecht, H. R. Halperin, F. C. P. Yin, and M. L. Weisfeldt</i> | H1240 |
| Cholinergic vasodilation of intracerebral arterioles in rats <i>R. G. Dacey, Jr., and J. E. Bassett</i> | H1253 |
| Factors influencing myocardial response to metabolic acidosis in isolated rat hearts <i>T. A. Watters, M. F. Wendland, W. W. Parmley, T. L. James, E. H. Botvinick, S. T. Wu, R. Sievers, and J. Wikman-Coffelt</i> | H1261 |
| Coronary hyperperfusion and myocardial metabolism in isolated and intact hearts <i>W. P. Miller, N. Shimamoto, S. H. Nellis, and A. J. Liedtke</i> | H1271 |
| Development of coronary collateral circulation in left circumflex Ameroid-occluded swine myocardium <i>D. M. Roth, Y. Maruoka, J. Rogers, F. C. White, J. C. Longhurst, and C. M. Bloor</i> | H1279 |

SPECIAL COMMUNICATIONS

| | |
|---|-------|
| [¹⁴ C]iodoantipyrine and microsphere blood flow estimates in cat brain <i>F. J. Shuier, S. C. Jones, T. Fedora, and M. Reivich</i> | H1289 |
| Cardiac output in adult and neonatal rats utilizing impedance cardiography <i>R. W. Gotshall, J. C. Breay-Pilcher, and B. D. Boelskevy</i> | H1298 |
| Ascorbic acid: a nonradioactive extracellular space marker in canine heart <i>G.-H. Reil, R. Frombach, R. Kownatzki, W. Quante, and P. R. Lichtlen</i> | H1305 |
| Modifications of electrode design for recording monophasic action potentials in animals and humans <i>M. E. Runnalls, P. M. I. Sutton, P. Taggart, and T. Treasure</i> | H1315 |

RAPID COMMUNICATIONS

| | |
|---|-------|
| Intracellular Ca ²⁺ and protein kinase C modulate K ⁺ current in guinea pig heart cells <i>N. Tohse, M. Kameyama, and H. Irisawa</i> | H1321 |
| Altered endothelial cell-mediated arterial dilation in dogs with <i>D. immitis</i> infection <i>L. Kaiser, J. F. Williams, E. A. Meade, and H. V. Sparks</i> | H1325 |
| Separation of Na-Ca exchange and transient inward currents in heart cells <i>Y. Shimoni and W. Giles</i> | H1330 |

ANNOUNCEMENTS

H1334

| | |
|---|-------|
| Hemodynamic monitoring for 24 h in unanesthetized rats <i>T. L. Smith, T. G. Coleman, K. A. Stanek, and W. R. Murphy</i> | H1335 |
| Cerebral blood flow autoregulation during intracranial hypertension in hypoxic lambs <i>C. O. Borel, J. E. Backofen, R. C. Koehler, M. D. Jones, Jr., and R. J. Traystman</i> | H1342 |
| Decreased lymphatic pumping after intravenous endotoxin administration in sheep <i>R. M. Elias, M. G. Johnston, A. Hayashi, and W. Nelson</i> | H1349 |
| Quantification of calcium paradox in neonatal rat hearts <i>J. S. Elz and W. G. Nayler</i> | H1358 |
| Intracellular calcium levels in phorbol ester-induced contractions of vascular muscle <i>M. J. Jiang and K. G. Morgan</i> | H1365 |
| The iron chelator desferrioxamine attenuates postischemic ventricular dysfunction <i>R. Bolli, B. S. Patel, W.-X. Zhu, P. G. O'Neill, C. J. Hartley, M. L. Charlat, and R. Roberts</i> | H1372 |
| Ventricular systolic interdependence: volume elastance model in isolated canine hearts <i>W. L. Maughan, K. Sunagawa, and K. Sagawa</i> | H1381 |
| Role of contraction in the structure and growth of neonatal rat cardiocytes <i>T. A. Marino, L. Kuseryk, and I. K. Lauva</i> | H1391 |
| Simultaneous measurement of calcium transients and motion in cultured heart cells <i>G. A. Peeters, V. Hlady, J. H. B. Bridge, and W. H. Barry</i> | H1400 |
| Control of arterial pressure in conscious, sinoaortic-denervated sheep in normoxia and hypoxia <i>M. Miki, K. Miki, G. Hajduczuk, D. Curran-Everett, and J. A. Krasney</i> | H1409 |
| Improved cardiac cell excitation with symmetrical biphasic defibrillator waveforms <i>J. L. Jones, R. E. Jones, and G. Balasky</i> | H1418 |
| Effects of left circumflex Ameroid constrictor placement on adrenergic innervation of myocardium <i>D. M. Roth, F. C. White, O. Mathieu-Costello, B. D. Guth, G. Heusch, C. M. Bloor, and J. C. Longhurst</i> | H1425 |
| Impairment of endothelium-dependent responses of cerebral arterioles in chronic hypertension <i>W. G. Mayhan, F. M. Faraci, and D. D. Heistad</i> | H1435 |
| Influence of acidosis on inotropic effect of catecholamines in newborn rabbit hearts <i>T. Nakanishi, H. Okuda, K. Kamata, M. Seguchi, M. Nakazawa, and A. Takao</i> | H1441 |
| Atrial natriuretic peptide transcription, storage, and release in rats with myocardial infarction <i>R. E. Mendez, J. M. Pfeffer, F. V. Ortola, K. D. Bloch, S. Anderson, J. G. Seidman, and B. M. Brenner</i> | H1449 |
| Ca ²⁺ signals obtained with multiple indicators in mammalian vascular muscle cells <i>T. T. DeFeo, G. M. Briggs, and K. G. Morgan</i> | H1456 |
| Increased skin lymph protein clearance after a 6-h arterial bradykinin infusion <i>R. J. Mullins and R. W. Hudgens</i> | H1462 |
| Preconditioning of ischemic myocardium: reperfusion-induced arrhythmias <i>K. Shiki and D. J. Hearse</i> | H1470 |
| Prostacyclin reduces "preload" in conscious dogs via a vagal reflex mechanism <i>D. M. Nganele and T. H. Hintze</i> | H1477 |
| Contractile function of isolated young and adult rat heart cells <i>R. A. Haworth, P. Griffin, B. Saleh, A. B. Goknur, and H. A. Berkoff</i> | H1484 |
| Modulation of vascular smooth muscle sensitivity by preload and eicosanoid synthesis inhibition <i>J. T. Herlihy, A. Johns, and M. J. K. Harper</i> | H1492 |
| Influence of intracellular acidosis on contractile function in the working rat heart <i>F. M. H. Jeffrey, C. R. Malloy, and G. K. Radda</i> | H1499 |
| Modification of force-interval relations during early adaptation to pressure overload in dogs <i>B. Crozatier, L. Hittinger, and M. Chavance</i> | H1506 |

| | |
|---|-------|
| Effects of transplantation on atrioventricular nodal accommodation and hysteresis <i>I. C. Tuna, T. P. Barragry, M. Walker, T. Lillehei, J. W. Blatchford, C. Gornick, W. S. Ring, R. M. Bolman III, and D. G. Benditt</i> | H1514 |
| Renal vascular reactivity to U 46619 and adrenergic agonists in Goldblatt hypertension <i>B. G. Zimmerman</i> | H1523 |
| Effect of pressure and intimal damage on ¹³¹ I-albumin and [¹⁴ C]sucrose spaces in aorta <i>A. Tedgui and M. J. Lever</i> | H1530 |
| Regulation of twitch tension in sheep cardiac Purkinje fibers during calcium overload <i>J. R. Berlin, M. B. Cannell, and W. J. Lederer</i> | H1540 |
| Fluid exchange in skeletal muscle with viscoelastic blood vessels <i>J. Lee, E. P. Salathé, and G. W. Schmid-Schönbein</i> | H1548 |
| Carnitine-acylcarnitine translocase in ischemia: evidence for sulfhydryl modification <i>D. F. Pauly, S. B. Yoon, and J. B. McMillin</i> | H1557 |
| Age-related changes in adrenergic vasoconstrictor responses of the rat hindlimb <i>R. K. Handa and S. P. Duckles</i> | H1566 |
| Endogenous prostaglandins selectively mask large arteriole constriction to angiotensin II <i>J. T. Fleming, P. L. Harris, and I. G. Joshua</i> | H1573 |
| Increased heart rate accelerates norepinephrine washout from normal myocardium <i>R. J. Henning, J. Cheng, A. M. Bhat, and M. N. Levy</i> | H1581 |
| Modulation of macromolecular permeability by immune complexes and a β -adrenoceptor stimulant <i>S. W. Adamski, J. J. Langone, and G. J. Grega</i> | H1586 |
| Effect of cyclosporin on blood pressure and renin-aldosterone axis in rats <i>S. Lustig, N. Stern, P. Eggena, M. L. Tuck, and D. B. N. Lee</i> | H1596 |
| Calmodulin antagonists depress calcium and potassium currents in ventricular and vascular myocytes <i>U. Klöckner and G. Isenberg</i> | H1601 |

SPECIAL COMMUNICATIONS

| | |
|--|-------|
| Effects of atriopeptin III on isolated mesenteric resistance vessels from SHR and WKY <i>C. Cauwin, M. Tejerina, and C. van Breemen</i> | H1612 |
|--|-------|

RAPID COMMUNICATIONS

| | |
|--|-------|
| Angiotensin II binding sites in the conduction system of rat hearts <i>K. Saito, J. S. Gutkind, and J. M. Saavedra</i> | H1618 |
| Atrial natriuretic factor in dogs with one-kidney, one-clip Goldblatt hypertension <i>K. M. Verburg, R. H. Freeman, D. Villarreal, and M. W. Brands</i> | H1623 |

| | |
|-----------------------------------|-------|
| <i>Subject Index to Volume 22</i> | H1629 |
| <i>Author Index to Volume 22</i> | H1640 |

CORRIGENDA

Volume 253, July 1987

Volume 22, July 1987

Page H31: T. Nozawa, Y. Yasumura, S. Futaki, N. Tanaka, Y. Igarashi, Y. Goto, and H. Suga. "Relation between oxygen consumption and pressure-volume area of in situ dog heart." Page H37: Fig. 6: Although the last sentence of the legend states "Solid lines are linear regression lines, and inner and outer pairs of dashed curves around them are 95% confidence limits of regression lines and data points, respectively," these dashed lines show one standard deviation of both the slope of the regression line and the sampled data from the regression line. The authors forgot to multiply these standard deviation values by t value (2.069 for degrees of freedom = 23) for $P = 0.05$ in the computer software to obtain the 95% confidence limits. The other statistical results in Fig. 6 are correct.

Volume 253, July 1987

Volume 22, July 1987

Page H107: D. W. Myears, B. E. Sobel, and S. R. Bergmann. "Substrate use in ischemic and reperfused canine myocardium: quantitative considerations." Page H109: unit of measure for NEFA should be $\mu\text{mol/l}$ in Table 1.

Volume 253, October 1987

Volume 22, October 1987

Page H985: J. R. Moorman, Z. Zhou, G. E. Kirsch, A. E. Lacerda, J. M. Caffrey, D. M.-K. Lam, R. H. Joho, and A. M. Brown. "Expression of single calcium channels in *Xenopus* oocytes after injection of mRNA from rat heart." Page H991: the following should have been included in the acknowledgements: We are grateful to John Leonard and Terry Snutch for their help and advice with the oocyte expression system.

American Journal of Physiology: Regulatory, Integrative and Comparative Physiology

No. 1. JULY 1987

| | |
|--|------|
| Evolution of mammalian endothermic metabolism: "leaky" membranes as a source of heat <i>P. L. Else and A. J. Hulbert</i> | R1 |
| Cholesterol content and water and solute permeabilities of kidney membranes from aging rats <i>J. Pratz, P. Ripoche, and B. Corman</i> | R8 |
| Changes in blood volume and plasma sodium concentration after water intake in rats <i>H. Nose, E. Sugimoto, T. Okuno, and T. Morimoto</i> | R15 |
| Concentration of adrenocortical hormones in relation to cation homeostasis in birds <i>J. Rosenberg and S. Hurwitz</i> | R20 |
| Effects of corticosterone on neurons of reticular formation in rats <i>G. L. Avanzino, R. Ermirio, P. Ruggeri, and C. E. Cogo</i> | R25 |
| Inhibition of VP and OT release by water in hypovolemia is independent of opioid peptides <i>L. M. Rosella-Dampman, R. D. Hartman, and J. Y. Summy-Long</i> | R31 |
| Adaptation to extreme ambient temperatures in cold-acclimated gerbils and mice <i>S. Oufara, H. Barré, J.-L. Rouanet, and J. Chatonnet</i> | R39 |
| Circadian rhythms of rabbits during restrictive feeding <i>B. Jilge, H. Hörnicke, and H. Stähle</i> | R46 |
| 3-O-Methylglucose transport in soleus muscle of bacteremic rats <i>M. V. Westfall and M. M. Sayeed</i> | R55 |
| Acid-base status and electrolytes in red blood cells and plasma of turtles submerged at 3°C <i>L. A. Maginniss and B. M. Hitzig</i> | R64 |
| Leukocytic pyrogen effects on prostaglandins in hypothalamic tissue slices <i>I. M. Scott, R. H. Fertel, and J. A. Boulant</i> | R71 |
| Metabolism in lizards: low lactate turnover and advantages of heterothermy <i>M. Guppy, S. D. Bradshaw, B. Fergusson, I. A. Hansen, and C. Atwood</i> | R77 |
| Potassium secretion by nasal salt glands of desert lizard <i>Sauromalus obesus</i> <i>T. J. Shuttleworth, J. L. Thompson, and W. H. Dantzler</i> | R83 |
| Sympathetic alterations after midline medullary raphe lesions <i>R. B. McCall and L. T. Harris</i> | R91 |
| Effects of daily melatonin injections on activity rhythms of rats in constant light <i>M. J. Chesworth, V. M. Cassone, and S. M. Armstrong</i> | R101 |
| Regulation of drinking and vasopressin secretion: role of organum vasculosum laminae terminalis <i>T. N. Thrasher and L. C. Keil</i> | R108 |
| Development of postglucoprivic insulin-induced suckling and feeding in rats <i>C. L. Williams and E. M. Blass</i> | R121 |
| Significance of vessel size and type in vascular heat transfer <i>D. E. Lemons, S. Chien, L. I. Crawshaw, S. Weinbaum, and L. M. Jiji</i> | R128 |
| Afferent vagal stimulation, vasopressin, and nitroprusside alter cerebrospinal fluid kinin <i>G. R. Thomas, H. Thibodeaux, H. S. Margolius, J. G. Webb, and P. J. Privitera</i> | R136 |
| Recombinant tumor necrosis factor and interleukin 1 enhance slow-wave sleep <i>S. Shoham, D. Davenne, A. B. Cady, C. A. Dinarello, and J. M. Krueger</i> | R142 |
| Differential effect of stimulation of nucleus ambiguus on atrial and ventricular rates <i>M. E. Thompson, G. Felsten, J. Yavorsky, and B. H. Natelson</i> | R150 |
| Sucrose-induced obesity: effect of diet on obesity and brown adipose tissue <i>R. B. Kanarek, J. R. Aprille, E. Hirsch, L. Gualtiere, and C. A. Brown</i> | R158 |
| High-affinity substance P binding sites in rat esophagus plexus submucosus <i>C. J. Wiedermann, K. Sertl, and C. B. Pert</i> | R167 |

| | |
|--|------|
| Circadian pacemaker interferes with sleep onset at specific times each day: role in insomnia <i>S. H. Strogatz, R. E. Kronauer, and C. A. Czeisler</i> | R172 |
| Role of brain serotonergic pathways and hypothalamus in regulation of renin secretion <i>E. Gotoh, K. Murakami, T. D. Bahnson, and W. F. Ganong</i> | R179 |
| Regulation of anaerobic ATP-generating pathways in trout fast-twitch skeletal muscle <i>G. P. Dobson, W. S. Parkhouse, and P. W. Hochachka</i> | R186 |

MODELING METHODOLOGY FORUM

| | |
|---|------|
| Dimensional analysis does not determine a mass exponent for metabolic scaling <i>J. P. Butler, H. A. Feldman, and J. J. Fredberg</i> | R195 |
|---|------|

RAPID COMMUNICATIONS

| | |
|--|------|
| Pancreatic vagal nerve is receptive to somatostatin in rats <i>H. Nakabayashi, A. Nijima, Y. Kurata, Z.-Y. Jiang, N. Usukura, and R. Takeda</i> | R200 |
| Adaptation of circadian rhythmicity to shift in light-dark cycle accelerated by a benzodiazepine <i>O. van Reeth, and F. W. Turek</i> | R204 |

No. 2. AUGUST 1987

| | |
|---|------|
| Comparison of corticotropin-releasing factor and acetylcholine on catecholamine secretion in dogs <i>W. C. Engeland, M. P. Lilly, T. O. Bruhn, and D. S. Gann</i> | R209 |
| Cadmium inhibition of Ca^{2+} uptake in rainbow trout gills <i>P. M. Verbost, G. Flik, R. A. C. Lock, and S. E. Wendelaar Bonga</i> | R216 |
| Cardiovascular and metabolic responses to temperature in <i>Coluber constrictor</i> <i>J. N. Stinner</i> | R222 |
| Adipocyte blood flow is decreased in obese Zucker rats <i>D. B. West, W. A. Prinz, A. A. Francendese, and M. R. C. Greenwood</i> | R228 |
| Effects of renal receptor activation on neurosecretory vasopressin cells <i>T. A. Day and J. Ciriello</i> | R234 |
| Role of cardiac nerves in response to head-out water immersion in conscious dogs <i>G. Hajduczek, K. Miki, S. K. Hong, J. R. Claybaugh, and J. A. Krasney</i> | R242 |
| Regional circulatory responses to head-out water immersion in conscious dogs <i>G. Hajduczek, K. Miki, J. R. Claybaugh, S. K. Hong, and J. A. Krasney</i> | R254 |
| Tyrosine transport in winter flounder intestine: interaction with Na^+ - K^+ - 2Cl^- cotransport <i>M. W. Musch, F. M. McConnell, L. Goldstein, and M. Field</i> | R264 |
| Effect of stimulation of trigeminal ganglion on regional cerebral blood flow in cats <i>P. J. Goadsby and J. W. Duckworth</i> | R270 |
| Morphometry, histochemistry, and contractility of dystrophic hamster diaphragm <i>J. A. Burbach, E. H. Schlenker, and J. L. Johnson</i> | R275 |
| Dehydration and arginine vasotocin and angiotensin II in CSF and plasma of Pekin ducks <i>D. A. Gray and E. Simon</i> | R285 |
| Organ-specific metabolism during freezing and thawing in a freeze-tolerant frog <i>K. B. Storey</i> | R292 |
| Substrate and O_2 fluxes during rest and exercise in a high-altitude-adapted animal, the llama <i>P. W. Hochachka, T. P. Mommsen, J. H. Jones, and C. R. Taylor</i> | R298 |
| Effect of antipyretic drugs on circadian rhythm in body temperature of rats <i>W. E. Scales and M. J. Kluger</i> | R306 |
| Body composition, food intake, and brown fat thermogenesis in pregnant Djungarian hamsters <i>J. E. Schneider and G. N. Wade</i> | R314 |

| | |
|--|------|
| Adrenal, thyroid, and testicular hormone rhythms in male golden hamsters on long and short days <i>J. E. Ottenweller, W. N. Tapp, D. L. Pitman, and B. H. Natelson</i> | R321 |
| Patterns of reproductive hormone secretion in hibernating Turkish hamsters <i>J. M. Darrow, L. Yorgev, and B. D. Goldman</i> | R329 |
| Effects of photoperiod on hibernation in castrated Turkish hamsters <i>B. D. Goldman and J. M. Darrow</i> | R337 |
| Heart rate and body temperature during free diving of Weddell seals <i>R. D. Hill, R. C. Schneider, G. C. Liggins, A. H. Schuette, R. L. Elliott, M. Guppy, P. W. Hochachka, J. Qvist, K. J. Falke, and W. M. Zapol</i> | R344 |

MODELING METHODOLOGY FORUM

| | |
|--|------|
| Allopurinol kinetics in humans as a means to assess liver function: comparison of different models <i>G. van Waeg, T. Groth, F. Niklasson, and C.-H. de Verdier</i> | R352 |
|--|------|

SPECIAL COMMUNICATIONS

| | |
|---|------|
| Retrograde tracer technique for assessment of selective and total subdiaphragmatic vagotomies <i>T. L. Powley, E. A. Fox, and H.-R. Berthoud</i> | R361 |
|---|------|

RAPID COMMUNICATIONS

| | |
|---|------|
| Amiloride-sensitive sodium channels and expression of sodium appetite in rats <i>I. L. Bernstein and C. J. Hennessy</i> | R371 |
| Diuretic and natriuretic properties of prestegane B, a mammalian lignan <i>G. E. Plante, C. Prevost, A. Chainey, P. Braquet, and P. Sirois</i> | R375 |
| Endogenous and exogenous cholecystokinin may reduce food intake by different mechanisms <i>G. Shillabeer and J. S. Davison</i> | R379 |

No. 3. SEPTEMBER 1987

| | |
|--|------|
| Why do total-body decay curves of iodine-labeled proteins begin with a delay? <i>E. Regoeczi</i> | R383 |
| Placental and renal control of plasma osmolality in chronically cannulated ovine fetus <i>M. K. Towstoles, M. Congiu, J. P. Coghlan, and E. M. Wintour</i> | R389 |
| Hypothalamus and sodium-potassium pump activity in skeletal muscles of DOCA-hypertensive rats <i>T. Katafuchi, Y. Oomura, T. Maruyama, and N. Akaike</i> | R396 |
| Ouabain binding in tadpole ventral skin I. Kinetics and effect on intracellular ions <i>D. H. Robinson and J. W. Mills</i> | R402 |
| Ouabain binding in tadpole ventral skin II. Localization of Na pump sites <i>D. H. Robinson and J. W. Mills</i> | R410 |
| Effects of hypothalamic stimulation and lesion on adrenal nerve activity <i>H. Yoshimatsu, Y. Oomura, T. Katafuchi, and A. Nijima</i> | R418 |
| Effect of naloxone on regional cerebral blood flow during endotoxin shock in conscious rats <i>W. R. Law and J. L. Ferguson</i> | R425 |
| Behavioral and metabolic effects of sucrose-supplemented feeding in hyperactive rats <i>E. D. Hendley, L. H. Conti, D. J. Wessel, E. S. Horton, and R. E. Musty</i> | R434 |
| Further evidence for hepatic control of salt intake in rats <i>M. G. Tordoff, J. Schulkin, and M. I. Friedman</i> | R444 |
| Roles of gill and red cell carbonic anhydrase in elasmobranch HCO_3^- and CO_2 excretion <i>E. R. Swenson and T. H. Maren</i> | R450 |
| Size selectivity of blood-brain barrier permeability at various times after osmotic opening <i>P. J. Robinson and S. I. Rapoport</i> | R459 |

| | |
|---|------|
| Responses of vasopressin and enkephalins to hemorrhage in adrenalectomized dogs <i>M. Inoue, T. Kimura, K. Matsui, K. Ota, M. Shoji, K. Iitake, and K. Yoshinaga</i> | R467 |
| Glucose-induced norepinephrine levels and obesity resistance <i>B. E. Levin and A. C. Sullivan</i> | R475 |
| Role of angiotensin in sodium appetite of sodium-deplete sheep <i>R. S. Weisinger, D. A. Denton, R. Di Nicolantonio, M. J. McKinley, A. F. Muller, and E. Tarjan</i> | R482 |
| Adrenergic mediation of vasopressin secretion in newborn pigs <i>C. W. Leffler, D. W. Busija, L. Share, J. T. Crofton, D. P. Brooks, D. G. Beasley, R. S. Green, and R. Mirro</i> | R489 |
| A role for the ventral surface of the medulla in regulation of nasal resistance <i>M. A. Haxhiu, K. P. Strohl, M. P. Norcia, E. van Lunteren, E. C. Deal, Jr., and N. S. Cherniack</i> | R494 |
| Analysis of BP response and Ca^{2+} metabolism using the saturation kinetics model <i>N. Karanja, J. A. Metz, L. P. Mercer, and D. A. McCarron</i> | R501 |
| Drinking, oropharyngeal signals, and inhibition of vasopressin secretion in dogs <i>T. N. Thrasher, L. C. Keil, and D. J. Ramsay</i> | R509 |
| Neuropeptide Y increases food intake in mice <i>J. E. Morley, E. N. Hernandez, and J. F. Flood</i> | R516 |
| Dynamic and static phases of obesity following lesions in PVN and VMH <i>M. Fukushima, K. Tokunaga, J. Lupien, J. W. Kemnitz, and G. A. Bray</i> | R523 |

MODELING METHODOLOGY FORUM

| | |
|---|------|
| Optimal experiment design for nonlinear models subject to large prior uncertainties <i>E. Walter and L. Pronzato</i> | R530 |
|---|------|

No. 4. OCTOBER 1987

| | |
|---|------|
| Insulin does not influence muscle glycogenolysis in adrenomedullated exercising rats <i>H. T. Yang, K. I. Carlson, and W. W. Winder</i> | R535 |
| Blood volume restitution after hemorrhage in adult sheep <i>J. M. Grimes, L. A. Buss, and R. A. Brace</i> | R541 |
| Effect of diltiazem on intercellular Ca^{2+} mobilization in hepatocytes during endotoxic shock <i>S. R. Maitra and M. M. Sayeed</i> | R545 |
| Effect of diltiazem on altered cellular calcium regulation during endotoxic shock <i>M. M. Sayeed and S. R. Maitra</i> | R549 |
| Glomerular filtration, renal blood flow, and solute excretion in conscious aging rats <i>B. Corman and J.-B. Michel</i> | R555 |
| Cardiovascular and fluid responses to atrial natriuretic factor in sheep fetus <i>R. A. Brace and C. Y. Cheung</i> | R561 |
| Partition of carotid baroreceptor response in two-kidney renal hypertensive dogs <i>E. Koushanpour and R. Behnia</i> | R568 |
| Resistance to adipocyte hyperplasia in ground squirrels given high-fat diets <i>I. M. Faust and N. Mrosovsky</i> | R576 |
| Protection against fat cell hyperplasia in a hibernator, <i>Glis glis</i> <i>N. Mrosovsky, P. Nash, and I. M. Faust</i> | R580 |
| Micropuncture study of proximal tubule pH in avian kidney <i>G. Laverty and M. Alberici</i> | R587 |
| Thyroid hormone depresses antioxidant enzyme maturation in fetal rat lung <i>I. R. Sosenko and L. Frank</i> | R592 |
| Effects of endogenous atrial natriuretic peptide released by rapid atrial pacing in dogs <i>K. P. Walsh, T. D. M. Williams, R. Canepa-Anson, E. Pitts, S. L. Lightman, and R. Sutton</i> | R599 |
| Interaction of vasopressin with area postrema during volume expansion <i>E. M. Hassler, K. P. Undesser, and V. S. Bishop</i> | R605 |
| Differential effects of spinal transection on sympathetic nerve activities in rats <i>R. F. Taylor and L. P. Schramm</i> | R611 |

| | |
|--|------|
| Elevated renal nerve activity after spinal transection: effects on renal function <i>J. W. Osborn, Jr., R. H. Livingstone, and L. P. Schramm</i> | R619 |
| Cortical control of thermogenesis induced by lateral hypothalamic lesion and overeating <i>B. De Luca, M. Monda, M. P. Pellicano, and A. Zenga</i> | R626 |
| Effects of parathyroid hormone on blood flow in different regional circulations <i>M. F. Crass III, C. L. Jayaseelan, and T. C. Darter</i> | R634 |
| Vasopressin release in sheep following various degrees of rehydration <i>J. R. Blair-West, A. P. Gibson, S. J. Sheather, R. L. Woods, and A. H. Brook</i> | R640 |
| Enhancement of quiet sleep in rabbit neonates by muramyl dipeptide <i>D. Davenne and J. M. Krueger</i> | R646 |
| Calcium content of frog sciatic nerve during chronic hypocalcemia and hypercalcemia <i>K. C. Wadhwani, H. Levitan, and S. I. Rapoport</i> | R655 |

RAPID COMMUNICATIONS

| | |
|---|------|
| Cholecystokinin and gastric distension activate oxytocinergic cells in rat hypothalamus <i>L. P. Renaud, M. Tang, M. J. McCann, E. M. Stricker, and J. G. Verbalis</i> | R661 |
| Intracellular pH of astrocytes increases rapidly with cortical stimulation <i>M. Chesler and R. P. Kraig</i> | R666 |

No. 5. NOVEMBER 1987

INVITED COMMENTARY

| | |
|---|------|
| Osmoregulation and control of vasopressin secretion in healthy humans <i>P. H. Baylis</i> | R671 |
| Distribution of glycolysis and gluconeogenesis in perfused chicken kidney <i>K. Yorita, T. Yamano, K. Ikeda, T. Kobayashi, M. Shiota, and T. Sugano</i> | R679 |
| Role of motor center activity for hormonal changes and substrate mobilization in humans <i>M. Kjaer, N. H. Secher, F. W. Bach, and H. Galbo</i> | R687 |
| Extracted and nonextracted atrial natriuretic peptide in rabbits during tachycardia <i>A. J. Rankin, J. R. Ledsome, R. Keeler, and N. Wilson</i> | R696 |
| Hormone-controlled cAMP-mediated fluid secretion in yellow-fever mosquito <i>D. H. Petzel, M. M. Berg, and K. W. Beyenbach</i> | R701 |
| Cardiovascular responses to chemical and electrical stimulation of amygdala in rats <i>A. J. Gelsema, D. J. McKittrick, and F. R. Calaresu</i> | R712 |
| Pancreatic glucagon and cholecystokinin synergistically inhibit sham feeding in rats <i>J. Le Sauter and N. Geary</i> | R719 |
| Pressor sensitivity to vasopressin, angiotensin II, or methoxamine in diabetic rats <i>R. A. Hebden, T. Bennett, and S. M. Gardiner</i> | R726 |
| Transplacental clearance and blood flows of bovine gravid uterus at several stages of gestation <i>L. P. Reynolds and C. L. Ferrell</i> | R735 |
| Effects of exercise training on energy balance of ovariectomized rats <i>R. Denis, L. Rochon, and Y. Deshaies</i> | R740 |
| Delayed recycling of plasma FFA in mice: revised model of turnover and oxidation <i>N. Baker, M. Gan-Elepano, B. A. Guthrie, and J. F. Mead</i> | R746 |
| Brown fat thermogenesis in a rat model of dietary obesity <i>J. S. Fislser, J. R. Lupien, R. D. Wood, G. A. Bray, and R. A. Schemmel</i> | R756 |
| Serotonin and feeding responses of rats to amino acid imbalance: initial phase <i>D. W. Gietzen, Q. R. Rogers, P. M. B. Leung, B. Semon, and T. Piechota</i> | R763 |
| Pulsatile secretion of growth hormone and insulin in relation to feeding in rats <i>P. Even, J. Danguir, S. Nicolaidis, C. Rougeot, and F. Dray</i> | R772 |
| Diurnal patterns of hemodynamic performance in nonhuman primates <i>B. T. Engel and M. I. Talan</i> | R779 |
| Renal response to volume expansion in atrial-appendectomized dogs <i>B. A. Benjamin, C. H. Metzler, and T. V. Peterson</i> | R786 |

RAPID COMMUNICATIONS

Interleukin 1 affects glucose homeostasis
A. del Rey and H. Besedovsky

R794

LETTERS TO THE EDITOR

Separation of captopril effects on salt and water intake by subfornical organ lesions
T. Bennett and S. M. Gardiner; R. L. Thunhorst, D. A. Fitts, and J. B. Simpson

R799

No. 6. DECEMBER 1987

Vasoactive intestinal peptide stimulates ion transport in avian salt gland
R. J. Lowy, J. H. Schreiber, and S. A. Ernst

R801

Control of discharge patterns of medullary respiratory neurons by pulmonary vagal afferent inputs

E. J. Zuperku and F. A. Hopp

R809

Thermoregulatory effects of intracranial norepinephrine injections in goldfish
L. P. Wollmuth, L. I. Crawshaw, and H. Panayiotides-Djaferis

R821

Vasoconstrictor and vasodilator sites within anteroventral third ventricle region
M. L. Mangiapane and M. J. Brody

R827

Angiotensin II sensitization of aldosterone responsiveness to plasma sodium in conscious dogs

D. C. Merrill, M. M. Skelton, and A. W. Cowley, Jr.

R832

Extracellular Ca^{2+} , force, and energy state in cardiac tissue of rainbow trout
S. P. Hansen and H. Gesser

R838

Selective cooling of the brain in reindeer

H. K. Johnsen, A. S. Blix, J. B. Mercer, and K.-D. Bolz

R848

Effects of hypoxia and hypercapnia on V_T , f , and \dot{V}_I of nestling and adult bank swallows
C. Colby, D. L. Kilgore, Jr., and S. Howe

R854

Organic cation secretion in flounder renal tissue

D. S. Miller and P. D. Holohan

R861

Thermoregulatory responses of febrile sheep to spinal and hypothalamic heating
C. M. Blatteis, R. Necker, J. R. S. Hales, A. A. Fawcett, and K. Hirata

R868

Role of atrial natriuretic peptide in natriuresis in volume-expanded rats

K. Kaneko, K. Okada, S. Ishikawa, T. Kuzuya, and T. Saito

R877

Nasal heat and water exchange in grey seals

L. P. Folkow and A. S. Blix

R883

Cardiac output and oxygen consumption in exercising Thoroughbred horses

J.-M. Weber, G. P. Dobson, W. S. Parkhouse, D. Wheeldon, J. C. Harman, D. H. Snow, and P. W. Hochachka

R890

Lactate kinetics in exercising Thoroughbred horses: regulation of turnover rate in plasma

J.-M. Weber, W. S. Parkhouse, G. P. Dobson, J. C. Harman, D. H. Snow, and P. W. Hochachka

R896

Fetal heart rate, arterial pressure, and blood volume responses to cortisol infusion

C. E. Wood, C. Y. Cheung, and R. A. Brace

R904

Pain sensitivity, thermal capability, and brain monamine turnover in hypertensive rats

C. F. Tsai and M. T. Lin

R910

Calcium transport in turtle bladder

S. Sabatini and N. A. Kurtzman

R917

Circulating interleukin 1 and tumor necrosis factor during inflammation

L. L. Moldawer, J. Gelin, T. Scherstén, and K. G. Lundholm

R922

Carotid baroreceptor-muscle sympathetic relation in humans

R. F. Rea and D. L. Eckberg

R929

Effect of VIP on sweat secretion and cAMP accumulation in isolated simian eccrine glands

K. Sato and F. Sato

R935

RAPID COMMUNICATIONS

Sensory innervation of white adipose tissue
R. B. Fishman and J. Dark

R942

Subject Index to Volume 22
Author Index to Volume 22

R945
R953

CORRIGENDA

Volume 253, July 1987
Volume 22, July 1987

Pages R179-R185: Eiji Gotoh, Kazuharu Murakami, Tristram D. Bahnson, and William F. Ganong. "Role of brain serotonergic pathways and hypothalamus in regulation of renin secretion." In Tables 1, 2, 4, 5, and 6 the units were published incorrectly. Corrected versions of the tables follow.

Page R180:

TABLE 1. Changes in PRA produced by PCA

| | Sham Operation | | Lesion | |
|-----------------------------------|--|----------------|--------------|----------------|
| | Saline | PCA | Saline | PCA |
| | PRA, ng ANG I · ml ⁻¹ · 2 h ⁻¹ | | | |
| Lesions of dorsal raphe nucleus | 9.2±1.9 (5) | 23.3±5.8*† (5) | 8.4±1.0 (9) | 13.0±1.4* (13) |
| Lesions of paraventricular nuclei | 12.7±2.4 (8) | 38.8±7.5† (7) | 17.6±1.2 (8) | 15.6±2.6‡ (8) |
| Lesions of dorsomedial nuclei | 21.5±1.5 (7) | 38.6±7.9† (8) | 18.8±2.9 (6) | 47.5±14.4† (6) |

Values are means ± SE; n, no. of animals in parentheses. PRA, plasma renin activity; ANG I, angiotensin I; PCA, p-chloroamphetamine (10 mg/kg). * 2 h after PCA. † P < 0.05 vs. control. ‡ P < 0.05 lesions vs. sham.

Page R183:

TABLE 4. Changes in PRA and PRC produced by immobilization

| | Sham Operation | | Lesion | |
|-----------------------------------|--|-----------------|----------------|-----------------|
| | Control | Immobilization | Control | Immobilization |
| | PRA, ng ANG I · ml ⁻¹ · 2 h ⁻¹ | | | |
| Lesions of dorsal raphe nucleus | 11.3±1.2 (7) | 61.2±8.7* (8) | 12.7±1.4 (9) | 68.7±5.3* (9) |
| Lesions of paraventricular nuclei | 11.1±1.0 (8) | 61.7±5.3* (8) | 10.9±1.2 (9) | 20.5±2.1† (9) |
| Lesions of dorsomedial nuclei | 11.6±0.9 (8) | 60.9±4.1* (9) | 11.8±1.2 (10) | 50.4±3.9* (10) |
| | PRC, ng ANG I · ml ⁻¹ · 2 h ⁻¹ | | | |
| Lesions of paraventricular nuclei | 98.5±14.6 (7) | 271.7±71.6* (8) | 115.8±19.7 (8) | 279.6±37.9* (8) |

Values are means ± SE; n, no. of animals in parentheses. PRA, plasma renin activity; PRC, plasma renin concentration; ANG I, angiotensin I. * P < 0.05 vs. control. † P < 0.05 lesions vs. sham.

Page R182:

TABLE 2. Changes in plasma ACTH produced by PCA, immobilization, and head-up tilt

| | Sham Lesions | Paraventricular Lesions |
|-----------------|--------------------|-------------------------|
| | Plasma ACTH, pg/ml | |
| PCA | 254.6±27.9* (7) | 80.0±4.7† (8) |
| Saline | 65.8±3.2 (8) | 67.3±4.1 (8) |
| Immobilization | 405.4±79.0* (8) | 90.2±10.8† (8) |
| Control | 83.2±3.5 (8) | 75.1±2.6 (7) |
| Head-up tilting | 218.5±32.3* (19) | 87.6±8.1† (22) |
| Control | 89.1±11.6 (16) | 54.0±2.6 (17) |

Values are means ± SE; n, no. of animals in parentheses. ACTH, adrenocorticotropic hormone; PCA, p-chloroamphetamine. * P < 0.05 vs. control. † P < 0.05 lesions vs. control.

TABLE 5. Changes in PRA and PRC produced by head-up tilt in rats anesthetized with Inactin (120 mg/kg)

| | Sham Operation | | Lesion | |
|---|-----------------|------------------|-----------------|------------------|
| | Control | Tilt | Control | Tilt |
| <i>PRA, ng ANG I · ml⁻¹ · 2 h⁻¹</i> | | | | |
| Lesions of dorsal raphe nucleus | 49.2±3.9 (8) | 110.1±13.5* (10) | 50.1±5.0 (8) | 137.1±16.4* (11) |
| Lesions of paraventricular nuclei | 54.2±14.2 (18) | 119.0±13.9* (20) | 40.2±6.7 (19) | 64.0±5.0† (24) |
| Lesions of dorsomedial nuclei | 55.1±7.4 (8) | 166.2±12.0* (9) | 67.9±5.5 (9) | 142.6±16.1* (10) |
| <i>PRC, ng ANG I · ml⁻¹ · 2 h⁻¹</i> | | | | |
| Lesions of paraventricular nuclei | 231.7±55.5 (12) | 541.9±89.1* (18) | 289.6±39.5 (17) | 628.2±44.9* (20) |

Values are means ± SE; n, no. of animals in parentheses. PRA, plasma renin activity; PRC, plasma renin concentration; ANG I, angiotensin I. * $P < 0.05$ vs. control. † $P < 0.05$ lesions vs. sham.

Page R184:

TABLE 6. Changes in PRA and PRC produced by feeding a low-sodium diet for 7 days

| | Sham Operation | | Lesion | |
|---|----------------|------------------|---------------|------------------|
| | Control | Low sodium | Control | Low sodium |
| <i>PRA, ng ANG I · ml⁻¹ · 2 h⁻¹</i> | | | | |
| Lesions of dorsal raphe nucleus | 14.0±1.5 (8) | 38.3±5.1 (8) | 13.5±2.1 (9) | 40.2±4.8* (9) |
| Lesions of paraventricular nuclei | -14.6±1.3 (9) | 40.9±5.2* (11) | 8.6±1.3† (8) | 12.3±1.5† (16) |
| Lesions of dorsomedial nuclei | 15.9±2.1 (7) | 48.7±5.5* (8) | 16.2±2.4 (8) | 51.5±4.4* (9) |
| <i>PRC, ng ANG I · ml⁻¹ · 2 h⁻¹</i> | | | | |
| Lesions of paraventricular nuclei | 91.1±7.5 (9) | 258.5±33.6* (11) | 95.0±15.0 (8) | 284.3±29.3* (16) |

Values are means ± SE; n, no. of animals in parentheses. PRA, plasma renin activity; PRC, plasma renin concentration; ANG I, angiotensin I. * $P < 0.05$ vs. control. † $P < 0.05$ lesions vs. sham.

American Journal of Physiology: Renal, Fluid and Electrolyte Physiology

No. 1. JULY 1987

EDITORIAL REVIEW

Angiotensin receptor subtypes of the kidney cortex
J. G. Douglas

F1

Response of collecting tubule cells to aldosterone and potassium loading
M. Kashgarian, T. Ardito, D. J. Hirsch, and J. P. Hayslett

F8

H⁺-L-proline cotransport by vesicles from pars convoluta of rabbit proximal tubule
H. Røigaard-Petersen, C. Jacobsen, and M. I. Sheikh

F15

Amiloride interacts with renal α - and β -adrenergic receptors
M. J. Howard, M. D. Mullen, and P. A. Insel

F21

Ionic dependence of active Na-K transport: "clamping" of cellular Na⁺ with monensin
R. S. Haber, T. A. Pressley, J. N. Loeb, and F. Ismail-Beigi

F26

Effect of acute hypercapnia on PTH-stimulated phosphaturia in dietary P_i-deprived rat
J. Guntupalli, B. Matthews, B. Carlin, and E. Bourke

F34

Vasopressin receptors from cultured mesangial cells resemble V_{1a} type
S. Jard, C. Lombard, J. Marie, and G. Devilliers

F41

Na and nonelectrolyte entry into inner ear fluids of the rat
O. Sterkers, E. Ferrary, G. Saumon, and C. Amiel

F50

Facilitated transfer of glucose from blood into perilymph in the rat cochlea
E. Ferrary, O. Sterkers, G. Saumon, P. Tran Ba Huy, and C. Amiel

F59

Endogenous prostaglandins modulate autoregulation of renal blood flow in young rats
R. L. Chevalier, R. M. Carey, and D. L. Kaiser

F66

Potassium transport in cortical collecting tubules from mineralocorticoid-treated rat
J. A. Schafer and S. L. Troutman

F76

Acidification is inhibited in late proximal convoluted tubule during chronic metabolic alkalosis
F.-Y. Liu and M. G. Cogan

F89

Ultrastructural localization of acidic compartments in cells of isolated rabbit PCT
L. Larsson, W. L. Clapp III, C. H. Park, J. K. Cannon, and C. C. Tisher

F95

Cellular action of arginine vasopressin in the isolated renal tubules of hypothyroid rats
J. K. Kim, S. N. Summer, and R. W. Schrier

F104

Structural and functional correlates of effects of angiotensin-induced changes in rat glomerulus
D. P. Haley, M. Sarrafian, R. E. Bulger, D. C. Dobyan, and G. Eknoyan

F111

Water permeability and particle aggregates in ADH-, cAMP-, and forskolin-treated toad bladder
W. A. Kachadorian, R. A. Coleman, and J. B. Wade

F120

Morphometric analysis of distinct microanatomy near the base of proximal tubule cells
L. W. Welling, D. J. Welling, J. W. Holsapple, and A. P. Evan

F126

Cimetidine transport in isolated luminal membrane vesicles from rabbit kidney
L. Gislén, F. M. Wong, and K. M. Giacomini

F141

Evidence for a high-affinity sodium-dependent D-glucose transport system in the kidney
G. A. Quamme and H. J. Freeman

F151

Renal effects of cyclooxygenase inhibition in the pregnant rat
C. Baylis

F158

Insulin-stimulated protein metabolism in chronic azotemia and exercise
T. A. Davis, S. Klahr, and I. E. Karl

F164

Glomerular dynamics in the hypothyroid rat and the role of the renin-angiotensin system
D. M. Gillum, S. A. Falk, W. S. Hammond, and J. D. Conger

F170

| | |
|--|------|
| Functional characteristics of peritubular capillary membrane in rat kidney <i>M. Larson, K. Nygren, M. Sjöquist, and M. Wolgast</i> | F180 |
|--|------|

SPECIAL COMMUNICATIONS

| | |
|---|------|
| Lithium as a marker for proximal tubular delivery during low salt intake and diuretic infusion <i>K. A. Kirchner</i> | F188 |
|---|------|

LETTERS TO THE EDITOR

| | |
|--|------|
| Acid-base balance: a quest for alkalinity data <i>Z. H. Burbea, C. Chaimovitz, and S. Ben-Yaakov</i> | F197 |
| Ammonium, urea, and systemic pH regulation <i>M. A. Knepper, M. B. Burg, J. Orloff, R. W. Berliner, and F. C. Rector, Jr.; D. E. Atkinson and E. Bourke</i> | F199 |

No. 2. AUGUST 1987

EDITORIAL REVIEW

| | |
|--|------|
| Chloride transport by the cortical and outer medullary collecting duct <i>V. L. Schuster and J. B. Stokes</i> | F203 |
| Immunochemical characterization of a band 3-like anion exchanger in collecting duct of human kidney <i>S. Wagner, R. Vogel, R. Lietzke, R. Koob, and D. Drenckhahn</i> | F213 |
| Uninephrectomy and dietary protein affect fluid absorption in rabbit proximal straight tubules <i>J. R. Johnston, B. M. Brenner, and S. C. Hebert</i> | F222 |
| Effects of renal perfusion pressure on the natriuresis induced by atrial natriuretic factor <i>A. A. Seymour, S. G. Smith III, and E. K. Mazack</i> | F234 |
| Effects of leukotriene D ₄ on glomerular dynamics in the rat <i>K. F. Badr, B. M. Brenner, and I. Ichikawa</i> | F239 |
| Renal effects of endotoxin in the male rat <i>P. C. Churchill, A. K. Bidani, and M. M. Schwartz</i> | F244 |
| Purification of rat papillary collecting duct cells: functional and metabolic assessment <i>J. B. Stokes, C. Grupp, and R. K. H. Kinne</i> | F251 |
| GFR regulation and flow-dependent electrophysiology of early distal tubule in <i>Amphiuma</i> <i>B.-E. Persson and D. J. Marsh</i> | F263 |
| Dynamics of NAD in cortical nephron segments: effect of nicotinamide and of dietary phosphate intake <i>A. N. K. Yusufi, G. M. Kiebzak, E. Kusano, J. L. Werness, S. Homma, and T. P. Dousa</i> | F269 |
| Bicarbonate and ammonia transport in isolated perfused rat proximal straight tubules <i>J. L. Garvin and M. A. Knepper</i> | F277 |
| Control of steady-state pH in rabbit proximal straight tubules <i>J. L. Atkins and M. B. Burg</i> | F282 |
| Video measurement of basolateral NaCl reflection coefficient in proximal tubule <i>L. W. Welling, D. J. Welling, and T. J. Ochs</i> | F290 |
| EGF-induced mitogenesis in proximal tubular cells: potentiation by angiotensin II <i>J. Norman, B. Badie-Dezfooly, E. P. Nord, I. Kurtz, J. Schlosser, A. Chaudhari, and L. G. Fine</i> | F299 |
| Bicarbonate transport by initial collecting tubule of aquatic- and land-phase amphibia <i>C. B. Yucha and L. C. Stoner</i> | F310 |
| Glomerular size selectivity in nephrotic rats exposed to diets with different protein content <i>A. Remuzzi, C. Battaglia, L. Rossi, C. Zoja, and G. Remuzzi</i> | F318 |

| | |
|---|------|
| Vasopressin increases cytosolic free calcium in LLC-PK ₁ cells through a V ₁ -receptor <i>M. A. Burnatowska-Hledin and W. S. Spielman</i> | F328 |
| Effects of cell Ca and pH on Na channels from rat cortical collecting tubule <i>L. G. Palmer and G. Frindt</i> | F333 |
| Electrogenic Na/HCO ₃ cotransport across basolateral membrane of isolated perfused <i>Necturus proximal tubule</i> <i>A. G. Lopes, A. W. Siebens, G. Giebisch, and W. F. Boron</i> | F340 |
| Renal substrate utilization in normal and acidotic rats <i>L. Goldstein</i> | F351 |

SPECIAL COMMUNICATIONS

| | |
|--|------|
| Improved separation method for rat proximal and distal renal tubules <i>F. A. Gesek, D. W. Wolff, and J. W. Strandhoy</i> | F358 |
| Measurement of flow rate in rat proximal tubules with a nonobstructing optical method <i>C.-L. Chou and D. J. Marsh</i> | F366 |

RAPID COMMUNICATIONS

| | |
|--|------|
| Inhibition of epithelial Na ⁺ transport by atriopeptin, protein kinase c, and pertussis toxin <i>M. Mohrmann, H. F. Cantiello, and D. A. Ausiello</i> | F372 |
|--|------|

CORRIGENDUM

| | |
|--|--|
| Luminal disequilibrium pH and ammonia transport in outer medullary collecting duct <i>R. A. Star, M. B. Burg, and M. A. Knepper</i> | |
|--|--|

No. 3. SEPTEMBER 1987

EDITORIAL REVIEW

| | |
|--|------|
| Segmental synthesis and actions of prostaglandins along the nephron <i>J.-P. Bonvalet, P. Pradelles, and N. Farman</i> | F377 |
| Effect of protein-restricted diet on renal response to a meat meal in humans <i>G. Viberti, E. Boggetti, M. J. Wiseman, R. Dodds, J. L. Gross, and H. Keen</i> | F388 |
| Chronic hypercapnia enhances V _{max} of Na-H antiporter of renal brush-border membranes <i>Z. Talor, W.-C. Yang, J. Shuffield, E. Sack, and J. A. L. Arruda</i> | F394 |
| Effects of cadmium on canine renal cortical adenylate cyclase <i>U. Lundberg, C. L. Milanes, N. Pernalet, J. R. Weisinger, N. E. I. R. Contreras, V. Paz-Martinez, and E. Bellorin-Font</i> | F401 |
| Alterations of enzymatic activities along rat collecting tubule in potassium depletion <i>M. Imbert-Teboul, A. Doucet, S. Marsy, and S. Siaume-Perez</i> | F408 |
| Characterization of K-ATPase activity in distal nephron: stimulation by potassium depletion <i>A. Doucet and S. Marsy</i> | F418 |
| Renal autoregulation and pressure natriuresis during ANF-induced diuresis <i>R. V. Paul, K. A. Kirk, and L. G. Navar</i> | F424 |
| Succinate and citrate transport in renal basolateral and brush-border membranes <i>S. H. Wright and T. M. Wunz</i> | F432 |
| Determinants of mitochondrial O ₂ dependence in kidney <i>T. Y. Aw, E. Wilson, T. M. Hagen, and D. P. Jones</i> | F440 |
| H ⁺ gradient-driven dipeptide reabsorption in proximal tubule of rat kidney. Studies in vivo and in vitro <i>S. Silbernagl, V. Ganapathy, and F. H. Leibach</i> | F448 |
| Effects of PDGF on inositol phosphates, Ca ²⁺ , and contraction of mesangial cells <i>P. Menè, H. E. Abboud, G. R. Dubyak, A. Scarpa, and M. J. Dunn</i> | F458 |

| | |
|---|------|
| Epoxygenase metabolites of arachidonic acid inhibit vasopressin response in toad bladder <i>D. Schlondorff, E. Petty, J. A. Oates, M. Jacoby, and S. D. Levine</i> | F464 |
| Temperature sensitivity of renin-angiotensin system in the ground squirrel <i>C. T. Harker, M. J. Kluger, and R. L. Malvin</i> | F471 |
| Basolateral potassium channels in renal proximal tubule <i>H. Sackin and L. G. Palmer</i> | F476 |
| Potassium channels in <i>Necturus</i> proximal tubule <i>K. Kawahara, M. Hunter, and G. Giebisch</i> | F488 |
| Effect of adrenalectomy on NEM-sensitive ATPase along rat nephron and on urinary acidification <i>C. Khadouri, S. Marsy, C. Barlet-Bas, and A. Doucet</i> | F495 |
| Postglomerular capillary solute flux restricted by shape and charge in the dog <i>C. Whiteside and M. Silverman</i> | F500 |
| Anion exchange pathways for Cl ⁻ transport in rabbit renal microvillus membranes <i>L. P. Karniski and P. S. Aronson</i> | F513 |
| Regulation of brain water and electrolytes during acute hyperosmolality in rats <i>H. F. Cserr, M. DePasquale, and C. S. Patlak</i> | F522 |
| Volume regulatory influx of electrolytes from plasma to brain during acute hyperosmolality <i>H. F. Cserr, M. DePasquale, and C. S. Patlak</i> | F530 |
| Bulk flow of cerebrospinal fluid into brain in response to acute hyperosmolality <i>R. G. L. Pullen, M. DePasquale, and H. F. Cserr</i> | F538 |
| Thiazide-sensitive sodium chloride cotransport in early distal tubule <i>D. H. Ellison, H. Velázquez, and F. S. Wright</i> | F546 |
| Chloride-dependent potassium secretion in early and late renal distal tubules <i>H. Velázquez, D. H. Ellison, and F. S. Wright</i> | F555 |
| A model of osmotic and hydrostatic pressure effects on volume absorption in the proximal tubule <i>J. C. Williams, Jr., and J. A. Schafer</i> | F563 |
| Effect of V ₂ -receptor-mediated changes on inner medullary blood flow induced by AVP <i>B. Kiberd, C. R. Robertson, T. Larson, and R. L. Jamison</i> | F576 |
| Effects of flow rate on proximal tubule ultrastructure <i>A. B. Maunsbach, G. H. Giebisch, and B. A. Stanton</i> | F582 |

SPECIAL COMMUNICATIONS

| | |
|--|------|
| Permeabilizing the granular cell of toad and turtle bladder: lack of cell coupling <i>M. Graber, P. R. Brink, D. DiLillo, P. Devine, and E. Pastoriza-Munoz</i> | F588 |
|--|------|

No. 4. OCTOBER 1987

EDITORIAL REVIEW

| | |
|---|------|
| Roles and mechanisms of urinary buffer excretion <i>L. L. Hamm and E. E. Simon</i> | F595 |
|---|------|

| | |
|---|------|
| Characteristics of H ⁺ current transients induced by adverse H ⁺ gradient pulses in toad bladder <i>A. C. Nero, J. H. Schwartz, and M. R. F. Furtado</i> | F606 |
| Potassium secretion by nonsensory region of gerbil utricle in vitro <i>N. Y. Marcus and D. C. Marcus</i> | F613 |
| Postnatal maturation of rabbit renal collecting duct: intercalated cell function <i>L. M. Satlin and G. J. Schwartz</i> | F622 |
| Electrophysiological analysis of β -receptor stimulation in salamander proximal tubules <i>N. S. Morgunov</i> | F636 |
| Load dependency of sodium chloride reabsorption by medullary collecting duct in rat <i>W. A. Cupples and H. Sonnenberg</i> | F642 |

| | |
|---|------|
| Presence and possible role of a renal brush-border Gly-Pro-X-releasing exopeptidase <i>K.-J. Andersen and J. K. McDonald</i> | F649 |
| NMN transport by snake renal tubules: choline effects, countertransport, H ⁺ -NMN exchange <i>W. H. Dantzler and O. H. Brokl</i> | F656 |
| Hepatic denervation alters first-phase urinary sodium excretion in dogs with cirrhosis <i>M. Levy and M. J. Wexler</i> | F664 |
| Sodium excretion in dogs with low-grade caval constriction: role of hepatic nerves <i>M. Levy and M. J. Wexler</i> | F672 |
| Effect of atrial natriuretic peptides on renal medullary solute gradients <i>C. L. Davis and J. P. Briggs</i> | F679 |
| O ₂ metabolites cause reperfusion injury after short but not prolonged renal ischemia <i>S. L. Linas, D. Whittenburg, and J. E. Repine</i> | F685 |
| O ₂ metabolite-mediated injury in perfused kidneys is reflected by consumption of DMTU and glutathione <i>S. L. Linas, P. F. Shanley, C. W. White, N. P. Parker and J. E. Repine</i> | F692 |
| Evidence for the transport function of uricase, an oxidative enzyme <i>W. T. Pordy, M. S. Lipkowitz, and R. G. Abramson</i> | F702 |
| Calcium and vitamin D metabolism in spontaneously hypertensive rats <i>C. H. Hsu, C.-S. Yang, S. R. Patel, and M. G. Stevens</i> | F712 |
| Modulation of albuminuria by dietary protein and converting enzyme inhibition <i>F. N. Hutchison, M. Schambelan, and G. A. Kaysen</i> | F719 |
| Hypocalcemia-associated modulation of renal response to acute volume expansion in rats <i>D. E. Wesson</i> | F726 |
| Release of renin and angiotensin II into plasma and lymph during hyperchloremia <i>C. S. Wilcox and W. S. Peart</i> | F734 |
| Effects of adrenalectomy on CCD: evidence for differential response of two cell types <i>S. Muto, G. Giebisch, and S. Sansom</i> | F742 |
| Na-dependent effects of DOCA on cellular transport properties of CCDs from ADX rabbits <i>S. Sansom, S. Muto, and G. Giebisch</i> | F753 |
| Ammonia entry along rat proximal tubule in vivo: effects of luminal pH and flow rate <i>E. E. Simon and L. L. Hamm</i> | F760 |
| Facilitatory role of efferent renal nerve activity on renal sensory receptors <i>U. C. Kopp, L. A. Smith, and G. F. DiBona</i> | F767 |
| Vascular muscle cell depolarization and activation in renal arteries on elevation of transmural pressure <i>D. R. Harder, R. Gilbert, and J. H. Lombard</i> | F778 |

No. 5. NOVEMBER 1987

EDITORIAL REVIEW

| | |
|---|------|
| Structure and development of the glomerular capillary wall and basement membrane <i>D. R. Abrahamson</i> | F783 |
|---|------|

| | |
|---|------|
| Indirect coupling to Na ⁺ of <i>p</i> -aminohippuric acid uptake into rat renal basolateral membrane vesicles <i>H. Shimada, B. Moewes, and G. Burckhardt</i> | F795 |
| Hormonal regulation of gluconeogenesis in cultured proximal tubular cells: role of cytosolic calcium <i>M. S. Goligorsky, D. Osborne, T. Howard, K. A. Hruska, and I. E. Karl</i> | F802 |
| α_1 -Adrenergic stimulation of renal Na reabsorption requires glucose metabolism <i>A. D. Baines, R. Drangova, and P. Ho</i> | F810 |
| Bicarbonate transport in collecting tubules from outer stripe of outer medulla of rabbit kidneys <i>T. D. McKinney and K. K. Davidson</i> | F816 |

| | |
|--|-------|
| Vasopressin effects on urea and H ₂ O transport in inner medullary collecting duct subsegments <i>J. M. Sands, H. Nonoguchi, and M. A. Knepper</i> | F823 |
| Na ⁺ -H ⁺ antiporter in posthypercapnic state <i>W. C. Yang, J. A. L. Arruda, and Z. Tabor</i> | F833 |
| Distribution of IGF receptors in the plasma membrane of proximal tubular cells <i>M. R. Hammerman and S. Rogers</i> | F841 |
| α - and β -adrenergic receptors in proximal tubules of rat kidney <i>P. R. Sundaresan, T. L. Fortin, and S. L. Kelvie</i> | F848 |
| Luminal and basolateral uptake of insulin in isolated, perfused, proximal tubules <i>S. Nielsen, J. T. Nielsen, and E. I. Christensen</i> | F857 |
| Effects of indomethacin on renal response to atrial natriuretic peptide <i>C. A. Gaillard, H. A. Koomans, A. J. Rabelink, and E. J. Dorhout Mees</i> | F868 |
| Effect of vasopressin on Na ⁺ -K ⁺ -ATPase activity in rat cortical collecting duct <i>K. Tomita, A. Owada, Y. Iino, N. Yoshiyama, and T. Shiigai</i> | F874 |
| Possible modulatory role of angiotension II on atrial peptide-induced natriuresis <i>F. J. Salazar, J. P. Granger, M. J. Fiksen-Olsen, M. D. Bentley, and J. C. Romero</i> | F880 |
| Effect of acute renal failure on insulin disposition in the isolated perfused rat kidney <i>M. E. Brier, G. R. Aronoff, and P. R. Mayer</i> | F884 |
| Detection of a Na ⁺ -H ⁺ antiporter in cultured rat renal papillary collecting duct cells <i>S. M. Wall, S. Muallem, and J. A. Kraut</i> | F889 |
| Flow-dependent potassium secretion by rabbit cortical collecting tubule in vitro <i>B. G. Engbretson and L. C. Stoner</i> | F896 |
| NMR monitoring of intracellular sodium in dog and rabbit kidney tubules <i>Y. Boulanger, P. Vinay, and M. Boulanger</i> | F904 |
| Kinetics of bicarbonate transport in the early proximal convoluted tubule <i>F.-Y. Liu and M. G. Cogan</i> | F912 |
| Binding and functional effects of atrial natriuretic factor in isolated rat kidney <i>M. Suzuki, F. A. Almeida, D. R. Nussenzweig, D. Sawyer, and T. Maack</i> | F917 |
| Role of prostaglandin in norepinephrine and renin release in canine kidney <i>Y. Hayashi, H. Hisa, and S. Satoh</i> | F929 |
| Na ⁺ -H ⁺ exchanger in proximal cells isolated from rabbit kidney. I. Functional characteristics <i>M. Bidet, M. Tauc, J. Merot, A. Vandewalle, and P. Poujeol</i> | F935 |
| Na ⁺ -H ⁺ exchanger in proximal cells isolated from kidney. II. Short-term regulation by glucocorticoids <i>M. Bidet, J. Merot, M. Tauc, and P. Poujeol</i> | F945 |
| Role of AVP in malignant DOC-salt hypertension: studies using vascular and antidiuretic antagonists <i>J. Filep, J. C. Frölich, and E. Földes-Filep</i> | F952 |
| Asymmetric affinity of Na ⁺ -H ⁺ antiporter for Na ⁺ at the cytoplasmic versus external transport site <i>D. Goldfarb and E. P. Nord</i> | F959 |
| Atrial natriuretic peptide, right atrial pressure, and sodium excretion rate in the rat <i>T. A. Fried, M. A. Ayon, G. McDonald, A. Lau, T. Inagami, and J. H. Stein</i> | F969 |
| Effects of altered NaCl intake on renal hemodynamic and renin release responses to RNS <i>J. L. Osborn and D. D. Kinstetter</i> | F976 |
| Electrolyte transport in a central core model of the renal medulla <i>J. L. Stephenson, Y. Zhang, A. Eftekhari, and R. Tewarson</i> | F982 |
| Mechanism of proton-induced bone calcium release: calcium carbonate dissolution <i>D. A. Bushinsky and R. J. Lechleider</i> | F998 |
| Renal effects of aprotinin after 24 hours of unilateral ureteral obstruction <i>W. E. Yarger, W. J. Newman, and P. E. Klotman</i> | F1006 |
| Production and degradation of calcitriol in renal failure rats <i>C. H. Hsu, S. Patel, E. W. Young, and R. U. Simpson</i> | F1015 |
| Passive, one-dimensional countercurrent models do not simulate hypertonic urine formation <i>A. S. Wexler, R. E. Kalaba, and D. J. Marsh</i> | F1020 |

| | |
|--|-------|
| Importance of chloride for the correction of chronic metabolic alkalosis in the rat <i>B. M. Wall, G. V. Byrum, J. H. Galla, and R. G. Luke</i> | F1031 |
| Transport of tetraethylammonium by rabbit renal brush-border and basolateral membrane vesicles <i>S. H. Wright and T. M. Wunz</i> | F1040 |
| Control of renin release by dietary NaCl in the rat <i>W. J. Welch, C. E. Ott, J. N. Lorenz, and T. A. Kotchen</i> | F1051 |

RAPID COMMUNICATIONS

| | |
|--|-------|
| Visualization of ANP receptor on glomeruli of bovine kidney by use of a specific antiserum <i>M. Shimonaka, T. Saheki, H. Hagiwara, Y. Hagiwara, H. Sono, and S. Hirose</i> | F1058 |
| Adrenal medullary regulation of rat renal cortical adrenergic receptors <i>P. R. Sundaresan, M. M. Guarnaccia, and J. L. Izzo, Jr.</i> | F1063 |

No. 6. DECEMBER 1987

EDITORIAL REVIEW

| | |
|--|-------|
| Interorgan glutamine flow in metabolic acidosis <i>T. C. Welbourne</i> | F1069 |
| Atriopeptides decrease resting and hormone-elevated cytosolic Ca in cultured mesangial cells <i>A. Hassid</i> | F1077 |
| Glomerular and hormonal responses to dietary protein intake in human renal disease <i>M. E. Rosenberg, J. E. Swanson, B. Leppala Thomas, and T. H. Hostetter</i> | F1083 |
| Ultrastructural changes in isolated perfused proximal tubules during osmotic water flow <i>A. B. Maunsbach, S. Tripathi, and E. L. Boulpaep</i> | F1091 |
| Splanchnic and renal hemodynamic responses to intraportal infusion of glucagon <i>A. J. Premen</i> | F1105 |
| Prostaglandins and the urinary concentrating defect in potassium-depleted rabbits <i>K. H. Raymond, M. D. Lifschitz, and T. D. McKinney</i> | F1113 |
| Degradation and transport of AVP by proximal tubule <i>F. A. Carone, E. I. Christensen, and G. Flouret</i> | F1120 |
| The contribution of atrial natriuretic factor to acute volume natriuresis in rats <i>R. W. Barbee and N. C. Trippodo</i> | F1129 |
| Potassium transport by medullary collecting tubule of rabbit: effects of variation in K intake <i>C. S. Wingo</i> | F1136 |
| Effect of acute respiratory acidosis on two populations of intercalated cells in rat cortical collecting duct <i>J. W. Verlander, K. M. Madsen, and C. C. Tisher</i> | F1142 |
| Calcium antagonists preferentially dilate preglomerular vessels of hydronephrotic kidney <i>J. T. Fleming, N. Parekh, and M. Steinhausen</i> | F1157 |
| Lack of neural control of atrial natriuretic peptide release in conscious dogs <i>Y. Nishida, A. Miyata, H. Morita, N. Uemura, K. Kangawa, H. Matsuo, and H. Hosomi</i> | F1164 |
| Insulin stimulates ammoniogenesis in canine renal proximal tubular segments <i>M. C. Chobanian and M. R. Hammerman</i> | F1171 |
| Plasma potassium and diurnal cyclic potassium excretion in the rat <i>L. Rabinowitz, R. Berlin, and H. Yamauchi</i> | F1178 |
| Kaliuretic regulatory factors in the rat <i>J. C. Rutledge and L. Rabinowitz</i> | F1182 |
| Renal synthesis and urinary excretion of eicosanoids during pregnancy in rats <i>K. P. Conrad and M. J. Dunn</i> | F1197 |
| Effects of anion transport inhibitors and ion substitution on Cl ⁻ transport in TAL of Henle's loop <i>Y. Kondo, K. Yoshitomi, and M. Imai</i> | F1206 |

| | |
|--|-------|
| Effect of pH on Cl ⁻ transport in TAL of Henle's loop <i>Y. Kondo, K. Yoshitomi, and M. Imai</i> | F1216 |
| Effects of aortic constriction and renal denervation in DOCA-hypertensive swine <i>E. J. Zambraski and C. D. Ciccone</i> | F1223 |
| Disequilibrium pH and ammonia transport in isolated perfused cortical collecting ducts <i>R. A. Star, I. Kurtz, R. Mejia, M. B. Burg, and M. A. Knepper</i> | F1232 |
| Characterization of amino acid metabolism by cultured rat kidney cells: study with ¹⁵ N <i>I. Nissim, B. States, M. Yudkoff, and S. Segal</i> | F1243 |
| Stretch-activated potassium channels in renal proximal tubule <i>H. Sackin</i> | F1253 |
| The collecting tubule of <i>Amphiuma</i> . I. Electrophysiological characterization <i>M. Hunter, J.-D. Horisberger, B. Stanton, and G. Giebisch</i> | F1263 |
| The collecting tubule of <i>Amphiuma</i> . II. Effects of potassium adaptation <i>J.-D. Horisberger, M. Hunter, B. Stanton, and G. Giebisch</i> | F1273 |
| Platelet-activating factor mediates endotoxin-induced acute renal insufficiency in rats <i>J. Wang and M. J. Dunn</i> | F1283 |
| Lysosome distribution and cathepsin B and L activity along the rabbit proximal tubule <i>K. M. Madsen and C. H. Park</i> | F1290 |

RAPID COMMUNICATIONS

| | |
|---|-------|
| Differentiated transport functions in primary cultures of rabbit collecting ducts <i>G. Fejes-Tóth and A. Náray-Fejes-Tóth</i> | F1302 |
|---|-------|

LETTERS TO THE EDITOR

| | |
|--|-------|
| Recovery from metabolic acidosis is a function of renal NH ₄ ⁺ loss: agreement between two models <i>T. H. Maren, D. E. Atkinson, and E. Bourke</i> | F1308 |
|--|-------|

| | |
|-----------------------------------|-------|
| <i>Subject Index to Volume 22</i> | F1311 |
| <i>Author Index to Volume 22</i> | F1321 |

CORRIGENDA

Volume 252, June 1987
Volume 21, June 1987

Page F1148: Robert A. Star, Maurice B. Burg, and Mark A. Knepper. "Luminal disequilibrium pH and ammonia transport in outer medullary collecting duct." We regret that an error was made in the title of this article. The correct title and the article are reprinted in the August 1987 issue of this journal.

Page F1167: P. S. Avasthi, E. R. Greene, and W. F. Voyles. "Noninvasive Doppler assessment of human postprandial renal blood flow and cardiac output." *Page F1173:* DISCUSSION, the subheading in the second column should read *Cardiac Output*, not *Carbon Monoxide*.

Volume 253, August 1987
Volume 22, August 1987

Page F366: Chung-Lin Chou and Donald J. Marsh. "Measurement of flow rate in rat proximal tubules with a nonobstructing optical method." *Page F368:* the estimation equation should read:

$$r_{\tau} = \frac{\sum_{i=1}^n x_i y_{i+\tau}}{\left(\sum_{i=1}^n x_i^2 \sum_{i=1}^n y_{i+\tau}^2 \right)^{1/2}}, 1 \leq \tau \leq 150$$

